

DOW CORNING CORP. -- A-4004 -- 8010-00-893-4815

=====
Product Identification
=====

Product ID:A-4004

MSDS Date:01/01/1985

FSC:8010

NIIN:00-893-4815

MSDS Number: BFVCP

=== Responsible Party ===

Company Name:DOW CORNING CORP.

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info Phone Num:517-496-5900

Emergency Phone Num:517-496-5900

CAGE:5D028

=== Contractor Ident

ification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: >80%.

OSHA PEL:100 PPM

=====

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE SLIGHT ANESTHESIA,HEADACHES,ETC;

=====
First Aid Measures
=====

First Aid:INHAL:MOVE TO FRESH AIR.CALL DR. SKIN/EYES:FLUSH WITH WATER.

=====
Fire Fighting Measures
=====

Flash Point:50F OC.

Lower Limits:1.2.

Upper Limits:6.0.

Extinguishing Media:CO*2 OR FOAM.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:MOP,WIPE OR SOAK UP WITH ABSORBENT MATERIAL
USING PROPER PROTECTIVE EQUIPMENT

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE.STORE
IN A WELL-VENTILATED,COOL PLACE.SEPARATE FROM OXIDIZING AGENT &
SOURCES OF IGNITION.OUTDOOR OR DETACHED STORAGE.

Other Precautions:THE STANDARD COMBUSTIBLE MATERIAL STORAGE R
OOM SHOULD

BE USED FOR INDOOR STORAGE.WEAR GOGGLES,A CHEMICAL CARTRIDGE
RESPIRATOR AND RUBBER GLOVES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:ORGANIC VAPOR TYPE

Ventilation:MECHANICAL IS RECOMMENDED

Protective Gloves:RUBBER OR PLAST

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:AS REQUIRED BY USER.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F2

Boiling Pt:B.P. Te

xt:210F

Vapor Pres:25

Vapor Density:>1.0

Spec Gravity:0.90.

Evaporation Rate & Reference: