

MOBIL OIL CORPORATION -- MOBIL JET OIL II -- 9150-00-913-9717

===== Product Identification =====

Product ID:MOBIL JET OIL II

MSDS Date:05/17/1995

FSC:9150

NIIN:00-913-9717

MSDS Number: BFWFQ

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:ENVIRONMENTAL AFFAIRS & TOXICOLOGY DEPT

City:PENNINGTON

State:NJ

ZIP:08534

Country:US

Info Phone Num:703-849-3295 OR/800-662-4525

Emergency

Phone Num:212-883-4411

CAGE:1G112

=== Contractor Identification ===

Company Name:MOBIL OIL CORP ENVIRONMENTAL AFFAIRS & TOXICOLOGY

Address:PENNINGTON-ROCKY HILL RD

Box:City:PENNINGTON

State:NJ

ZIP:08534

Country:US

CAGE:0AHK0

Company Name:MOBIL OIL CORPORATION

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Phone:(703) 846-1482

CAGE:1G112

===== Composition/Information on Ingredients =====

Ingred Name:SYNTHETIC OIL

Fraction by Wt: >90.0%

Other REC Limits:5.0 MG/CU

M,AS OILMST

Ingred Name:ADDITIVES AND/OR OTHER INGREDIENTS

Fraction by Wt: 15G/KG;DERMAL:>5G/KG

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRACTICALLY NON-TOXIC. MAY CAUSE EYE IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION. INHALATION OF MIST MAY CAUSE RESPIRATORY TRACT IRRITATION, DIZZINESS, NAUSEA, UNCONSCIOUSNESS .

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS

NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:MAY CAUSE SLIGHT IRRITATION TO EYES & SKIN ON CONTACT. ORAL LD50=>15 G/KG DERMAL LD50:>5G/KG.

Medical Conditions Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER. IF IRRITATION OCCURS, CALL A PHYSICIAN. SKIN: WASH CONTACT AREAS WITH SOAP AND WATER.

REMOVAL

CONTAMINATED CLOTHING. LAUNDER BEFORE REUSE. INHALATION: REMOVE FROM FURTHER EXPOSURE. IF RESPIRATORY IRRITATION OCCURS, SEEK IMMEDIATE MEDICAL ASSISTANCE. IF BREATHING HAS STOPPED, USE MOUTH TO MOUTH RESUSCITATION. INGESTION: SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>475F,>246C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG.

WATER MAY CAUSE FROTHING.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard:PREVENT RUNOFF FROM FIRE CONTROL OR DILUTION FROM ENTERING STREAMS, SEWERS OR DRINKING SUPPLY.

===== Accidental Release Measures =====

Spill Release Procedures:ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH

TH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY. REPORT SPILLS AS REQUIRED TO THE APPROPRIATE AUTHORITIES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY BEFORE EATING OR SMOKING. KEEP AWAY FROM FEED OR FOOD PRODUCTS. DO NOT USE ON FOOD PROCESSING MACHINERY.

Other Precautions:DO NOT SOTRE IN OPEN OR UNLABELLED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR OIL MIST/ VAPOR IF ABOVE PEL/TLV.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED;EYE-WASH FACILITIES,SAFETY SHOWER.

Work Hygienic Practices:AVOID CONTACT WITH EYES AND SKIN;DO NOT BREATHE VAPOR/MIST.DO NOT TAKE INTERNALLY.WASH THOROUGHLY AFTER EACH USE.

Supplemental Safety and Health

THIS PRODUCT CONTAINS TRICRESYL PHOSPHATE, MAY PRODUCE PARALYSIS IF TAKEN INTERNALLY.DO NOT USE AS MEDICINAL OR FOOD PRODUCT.

=====
===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres: