View NSN Online: https://aerobasegroup.com/nsn/5910-00-922-8374 GENERAL ELEC.SUPPLY CO. -- 19F500 -- 5910-00-922-8374 ============ Product Identification =========================

Product ID:19F500

MSDS Date:01/01/1985

FSC:5910

NIIN:00-922-8374

MSDS Number: BFWPD === Responsible Party ===

Company Name: GENERAL ELEC. SUPPLY CO.

Address: 158 GAITHER DRIVE

City:MT LAUREL

State:NJ

ZIP:08054-1716 Country:US

Emergency Phone Num:800-626-2000

CAGE:MO238

=== Contractor Identification ===

Company N

ame: GENERAL ELEC. SUPPLY CO.

Address:158 GAITHER DRIVE

Box:City:MT LAUREL

State:NJ

ZIP:08054-1716 Country:US CAGE:MO238

Company Name: GENERAL ELECTRIC SUPPLY CO SUPPORT SERVICE SECTION

Address: 158 GAITHER DRIVE

Box:City:MT LAUREL

State:NJ

ZIP:08054-1716 Country:US

Phone:609-866-3000

CAGE:03350

======= Composition/Information on Ingredients ========

Ingred Name: POLYCHLORINATED BIPHENYLS (PCBS) (SARA III)

CAS:1336-36-3

RTECS #:TQ1350000 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

=========

====== Hazards Identification ====================
Effects of Overexposure:ABSORBED THRU SKIN,LUNGS,INTESTINE.CAUSES CANCER,LIVER,KIDNEY,STOMACH,EYE,HEARING DISORDER(SUP DATA)
======================================
First Aid:EYES:FLUSH W/WATER IMMED.SKIN:WASH W/SOAP IMMED.INHAL:REMOVE TO FRESH AIR.GIVE ART.RESPIR. AS NEEDED.INGEST:GET MEDICAL ATTN.GIVE LARGE QTY OF SALT WATER,INDUCE VOMITING,BUT DO NOT MAKE UNCONSCIOUS PE RSON VOMIT.
===== ======== Accidental Release Measures ====================================
Spill Release Procedures:USE ABSORBENT & DIKES TO PREVENT RUNOFF.ISOLATE & NOTIFY PROPER AUTHORITIES.
======================================
Handling and Storage Precautions:STORAGE MUST FOLLOW RCRA REQUIREMENTS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:SUPPLIED AIR W/FULL FACEPIECE,HELMET OR HOOD Ventilation:LOCAL EXHAUST Protective Gloves:RUBBER-IMPERV
Eye Protection:GOGGLES,FACE SHIELD Other Protective Equipment:FULL CLOTHING TO PREVENT SKIN CONTACT Supplemental Safety and Health
OVEREXPOS:CAN CAUSE FORMATION OF CYSTS.CAUSES STILLBIRTHS.IRRITATES EYES,NOSE,THROAT.
========== Physical/Chemical Properties ============
HCC:Z3 Appearance and Odor:LIGHT STRAW COLORED LIQUID,AROMATIC ODOR
========= Stability and Reactivity Data ===========
STRONG OXIDIZERS
======== Disposal Considerations

Waste Disposal Methods:CONTROLLED DISPOSAL REQUIRED-GENERALLY HIGH TEMPERATURE INCINERATION.ONLY APPROVED DISPOSAL OPERATOR PERMITTED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizin g this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.