

MIDWEST POLYCHEM,LTD -- CONC- WINDSHIELD SOLVENT -- 6850-00-926-2275

=====  
Product Identification  
=====

Product ID:CONC- WINDSHIELD SOLVENT

MSDS Date:01/01/1987

FSC:6850

NIIN:00-926-2275

MSDS Number: BFWVK

=== Responsible Party ===

Company Name:MIDWEST POLYCHEM,LTD

Address:1502 N 25TH AVE

City:MELROSE PARK

State:IL

ZIP:60160-1801

Country:US

Emergency Phone Num:NONE

CAGE:4S398

=== Contractor Ident

ification ===

Company Name:MIDWEST POLYCHEM LTD, BARON-BLAKE

Address:1502 N 25TH AVE

Box:City:MELROSE PARK

State:IL

ZIP:60160-1801

Country:US

CAGE:4S398

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 78.0%

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
First Aid Measures  
=====

Firs

t Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT  
UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

=====  
Fire Fighting Measures  
=====

Flash Point:60F,16C

Extinguishing Media:ALCOHOL OR POLYMER FOAM FOR LG FIRES. CO\*2 FOR SM  
ONES.

Fire Fighting Procedures:ADDITION OF WATER TO BURNING FUEL  
WILL REDUCE  
INTENSITY

=====  
Accidental Release Measures  
=====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. FLUSH  
SPILLED MATL W/WATER. NOTIFY AUTH OF MAJOR SPILLS. SM QTY MAY BE  
DILUTED W/WATER & WASHED DOWN INTO APPRVD STORAGE CNTNR.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:CONTAINS METHANOL. CANNOT BE MADE  
NONPOISONOUS. AVOID CNTCT W/EYES. USE IN VENT AREA. KEEP AWAY FROM  
HEAT, OPEN FLAMES.

Other Precautions:USE W/ADEQUATE VENT. AVOID PROLONGED/REPEATED CNTCT  
W/SKIN.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:USE SELF-CNTND BRTHNG APPARATUS

Ventilation:LOCAL EXHST PREFERRED, MECH ACCEPTABLE

Protective Gloves:IMPERMEABLE

Eye Protection:FACE SHIELD

Other Protective Equipment:AS REQD TO MINIMIZE PROLONGED OR REPEATED  
CONTACT

Supplemental Safety and Health  
78% BY VOL OF METHYL ALCOHOL

=====

Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:160F,71C

Vapor Pres:70

Spec Gravity:0.968

Appearance and Odor:BLUE LIQ, ALCOHOL ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CONTAINS METHANOL,WHICH SHOULD BE KEPT AWAY FM OXIDANTS.

Stability Condition to Avoid:KEEP AWAY FROM HEAT & OPEN FLAME

Hazardous Decomposition Products:N/K. BURNING METHANOL FORMS CO,CO\*2, &  
SMOKE.

=====

Disposal Considerations =====

Waste Disposal Methods:BURN IN CHEM INCINERATOR UNDER APPRVD CONTROLLED  
PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should see  
k competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.