

PENRECO -- PETROFLUID 3806 -- 9150-00-935-9807

=====
Product Identification
=====

Product ID:PETROFLUID 3806

MSDS Date:01/01/1987

FSC:9150

NIIN:00-935-9807

MSDS Number: BFYBP

=== Responsible Party ===

Company Name:PENRECO

Emergency Phone Num:(412)756-0110

CAGE:PENRE

=== Contractor Identification ===

Company Name:PENRECO

Address:4401 PARK AVENUE

City:DICKINSON

State:TX

ZIP:77539

Country:US

Phone:7

13-236-6070

CAGE:PENRE

Company Name:PENRECO, DIV OF PENNZOIL CO

Address:700 MILIAM ST

Box:2967

City:HOUSTON

State:TX

ZIP:77252

Country:US

Phone:800-245-3952

CAGE:86459

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDRAULIC FLUID(PETROLEUM BASE) TLV AS OIL MIST

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM

=====
Hazards Identification
=====

Effects of

Overexposure:EYES:IRRIT,BURNING.SKIN:IRRIT,DERMATITIS.INHAL:IRRIT,D
ROWS

INESS,PNEUMONIA.INGEST:STOMACH UPSET.

=====
===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
===== Fire Fighting Measures =====

Flash Point:>200F/93C (ASTM)
Extinguishing Media:FOAM,DRY CHEMICAL, CO *2.
Fire Fighting Procedure
s:USE WATER TO COOL CONTRS.USE SCBA IN FIRES AND
CONFINED AREA
Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHEN
BURNING.

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION.RECOVER THE
SPILL IN A SUITABLE CONTAINER USING ABSORBENT MATERIAL FOR PROPER
DISPOSAL.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AND WELL VEN
TILATED
AREA.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT OPEN
FLAMES.
Other Precautions:AVOID CONTACT WITH EYES AND SKIN.DONOT BREATH VAPORS
AND MIST.WASH BEFORE EATING,SMOKING AND DRINKING.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC
VAPORS/OIL MIST
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves:NEOPRENE
Eye Protection:SAFE

TY/CHEM GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE
WASH STATION

Supplemental Safety and Health
MSDS REVISED FEB, 1981

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:440F/227C

Vapor Pres:>1

Spec Gravity:0.86

Evaporation Rate & Reference:>1.0 (ETHYL ETH=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED LIQUID, PETROLEUM ODOR

Percent Volatiles by Volume:N/L

===== Stability and Reacti
vity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED

Hazardous Decomposition Products:ON CMBUSTION MAY GIVE CO,CO*2,SMOKE
AND SO*X

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL AUTHORITIES.DISPOSAL OR
INCINERATION MUST BE IN ACCORDANCE WITH LOCAL STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compilin
g agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.