

AEROSPACE LUBRICANTS, INC. -- TRIBOLUBE 10C; TYPE III -- 9150-00-961-8995

=====  
Product Identification  
=====

Product ID:TRIBOLUBE 10C; TYPE III

MSDS Date:02/14/1986

FSC:9150

NIIN:00-961-8995

MSDS Number: BFZHW

=== Responsible Party ===

Company Name:AEROSPACE LUBRICANTS, INC.

Address:1505 DELASHMUT AVENUE

City:COLUMBUS

State:OH

ZIP:43212-2641

Country:US

Info Phone Num:614-291-3045

Emergency Phone

Num:(614) 291-3045

CAGE:66164

=== Contractor Identification ===

Company Name:AEROSPACE LUBRICANTS INC.

Address:1600 GEORGEVILLE RD

Box:City:COLUMBUS

State:OH

ZIP:43228

Country:US

Phone:614-878-3600

CAGE:66164

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PEFLUOROALKYLPOLYETHER (PER MFR)

Fraction by Wt: 65.0%

Ingred Name:TEFLON THICKENER (AS GELLING AGENT,PER MFR)

Fraction by Wt: 35.0%

=====  
Hazards Identification  
=====

Ro

utes of Entry: Inhalation:UNKNOWN Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:ACUTE:NONE NOTED BY MFR.MAY IRRITATE  
EYES OR SKIN. CHRONIC:NO DATA AVAILABLE.  
Effects of Overexposure:NONE NOTED BY MFR. LOW TOXICITY & LOW HAZARD TO  
HEALTH.  
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE.

=====  
===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*20 FOR 15 MIN;INGEST:RINS  
E MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:NONE NOTED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:E  
LIM IGN SOURCES/FREE FLAMES FROM THE  
AREA.STOP LEAK & CONTAIN THE MATL; CLEAN THE GREASE FROM THE FLOOR  
TO PREVENT SLIPPING.KEEP AWAY FROM HOR SURFACES.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP  
CONTAINERS TIGHTLY CLOSED  
Other Precautions:USE IN VENTILATED AREA.GREASE DECOMPOSE ABOVE 250C TO  
TOXIC GASEOUS MATLS.

==  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:NORMAL ROOM VENTILATION.  
Protective Gloves:OPTIONAL  
Eye Protection:OPTIONAL  
Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.  
Supplemental Safety and Health  
MSDS FROM AEROSPACE INC EFFECTIVE:1/14/86; SPEC REF:MIL-G-27617D,TYPE  
III; WT % OF COMPONENTS PROVIDED BY MFR VIA TELECON 6/2/87.

=====  
===== Physical/Chemical Properties =====

====

HCC:V6

Vapor Pres:NEGLIGIBLE

Spec Gravity:1.9

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WHITE,BUTTERY GREASE; NO ODOR

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ALKALIS, ACIDS.

Stability Condition to Avoid:AVOID HEATING ABOVE 250C.

Hazardous Decomposition Products:THERMAL DECOMPOSITION WILL PRODUCE HF  
& COF\*2 & PERFLUORCRBN

=====  
===== Disposal Considerations =====

Waste Di

sposal Methods:SM & LG SPILL:DEPOSIT IN A POSTED TOXIC

SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should s

seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.