

3M -- SCOTCHCAST 4407(80-6100-6040-4),PT B -- 8030-00-962-0046

===== Product Identification =====

Product ID:SCOTCHCAST 4407(80-6100-6040-4),PT B

MSDS Date:01/01/1987

FSC:8030

NIIN:00-962-0046

MSDS Number: BFZHZ

=== Responsible Party ===

Company Name:3M

Emergency Phone Num:(612)733-1110

CAGE:0F0U5

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO TELCOMM MARKETS DIV

Addre

ss:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:79769-2963

Country:US

Phone:800-426-8688

CAGE:55203

Company Name:PACBROOK LTD

Address:15 GOSDITCH ST

City:CIRENCESTER GLOS GL7 2AG

Country:UK

Phone:NONE

CAGE:0F0U5

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCARBON POLYOL

Fraction by Wt: 95%

ACGIH TLV:NONE

Ingred Name:ALIPHATIC AMINE

Fraction by Wt: 2%

ACGIH TLV:NONE

Ingred Name:PHTHALATE PLASTICIZER

Fraction by Wt: 2%

ACGIH TLV:NONE

=====

== Hazards Identification =====

Effects of Overexposure:MDI CAUSES SKIN,EYE&RESPIRATORY TRACT IRRITATION.RESPIRATORY SENSITIZATION MAY CAUSE ASTHMA-SEE SUPP

===== First Aid Measures =====

First Aid:INHALATION:IF SYMPTOMS DEVELOP REMOVE FROM EXPOSURE&SEEK MEDICAL ATTENTION;EYE CONTACT:FLUSH WITH WATER FOR 15 MINUTES&SEEK MEDICAL ATTENTION;SKIN CONTACT:WASH AFFECTED AREA WITH SOAP&WATER.DO NOT USE SOLVENTS TO REMOVE FROM SKIN.

===== Fire Fighting Measures =====

Flash Point:366F/186C TCC
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO*2,FOAM,DRY CHEMICAL
Fire Fighting Procedures:USE SCBA FOR FIRE FIGHTING

===== Accidental Release Measures =====

Spill Release Procedures:DECONTAMINATE PART A WITH SOLUTION OF 8% AMMONIA,2% DETERGENT&90% WATER.LET REACT FOR 10 MINUTES&POUR ABSORBENT OVER NEUTRALIZED SPILL.COLLECT RESIDUE IN DRUM&LET STAND 24 HOURS WITH EXCESS DCON SOLUTION BEFORE SEALING.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY AREA AVOID SKIN&EYE CONTACT.
Other Precautions:CONDUCT AIR SAMPLING FOR MDI TO DETERMINE THE DEGREE OF RESPIRATORY PROTECTION NECESSARY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED FFSA IF TLV FOR MDI IS EXCEEDED (SEE SUPP DATA)
Ventilation:LEV A

DEQUATE TO MAINTAIN CONCENTRATIONS BELOW THE TLVS

Protective Gloves: BUTYL RUBBER

Eye Protection: SAFETY GLASSES MINIMUM

Other Protective Equipment: EYEWASH

Supplemental Safety and Health

MSDS DATED 11/13/85. KEY1:N1

===== Physical/Chemical Properties =====

HCC:T4

Boiling Pt: B.P. Text: NA

Vapor Pres: NA

Vapor Density: NA

Spec Gravity: 1.005

Viscosity: 450 CPS

Evaporation Rate & Reference: NA

Solubility in Water: NA

Appearance and Odor: VISCOUS LIQUID

Percent Volatiles by V

olume: NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZERS, ACIDS, CAUSTICS ALCOHOL

Hazardous Decomposition Products: CO, CO*2, CYANIDES, AROMATIC

HYDROCARBONS (BENZENE)

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT DPDO FOR DISPOSAL INFORMATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of

the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.