

PHOTICA INC -- PHOTICA 130F RAPID FIXER -- 6750-00-965-4843

=====  
Product Identification  
=====

Product ID:PHOTICA 130F RAPID FIXER

MSDS Date:01/01/1987

FSC:6750

NIIN:00-965-4843

MSDS Number: BFZVH

=== Responsible Party ===

Company Name:PHOTICA INC

Address:491 LYONS AVE

City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

CAGE:KO586

=== Contractor Identification ===

Company Name:PHOTICA INC

Address:49

1 LYONS AVE

Box:City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

Phone:201-705-9553 (KROMICA)

CAGE:KO586

Company Name:PHOTICA INC (WAS PURCHASED BY KROMICA INC.)

Address:491 LYONS AVE

Box:City:IRVINGTON

State:NJ

ZIP:07111-4717

Country:US

Phone:201-926-1000 (KRONICA INC.)

CAGE:60349

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Fraction by Wt: 50%

Ingred Name:SODIUM ACETATE

CAS:126-96-5

RTECS #:AJ4375000

Fraction by Wt: 6%

Ingred Name:ACETIC ACID (SARA III)

CAS:64-19-7

RTECS #:AF1225000

Fraction by Wt: 2%

OSHA PEL:10 PPM

ACGIH TLV:10 PPM/15 STEL; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

=====  
Hazards Identification  
=====

Effects of Overexposure:AVOID CONTACT WITH SKIN,EYES,CLOTHING. CONTACT W/ANY TISSUE MAY CAUSE IRRITATION.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH WATER 15 MIN & OBTAIN MEDICAL ATTENTION.

SKIN: WASH THOROUGHLY WITH SOAP & WATER.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE

Fire Fighting Procedures:NONE-COMBUSTIBLE LIQUID

=====  
Accidental Release Measures  
=====

Spill Release Procedures:WEARING RUBBER GLOVES & GOGGLES, MOP UP SPILLS. RINSE & MOP SOILED AREA WITH FRESH WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE CONTAINERS IN DRY AREA BETWEEN 40F(4C) & 85F(30C)

=====  
Exposure Controls/Personal Protection  
=====

Protective Gloves:RUBBER

Eye Protection:GOGGLES/SAFETY GLASSES

Supplemental Safety and Health

PH=5.4

=====  
Physical/Chemical Properties  
=====

HCC:N1

Boiling Pt:B.P. Text:>212F/100C

Spec Gravity:1.34

Solubility in Water:COMPLETE

Appearance and Odor:PALE YELLOW-GREEN LIQUID

=====  
Disposal Considerations  
=====

Waste Dis

posal Methods:FLUSH WASTE,SPENT OR EXCESS FIXER DOWN SANITARY  
SEWER DRAIN WITH COPIOUS AMOUNTS OF WATER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional ad  
vice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.