View NSN Online: https://aerobasegroup.kr/nsn/6750-00-965-4952 PHILIP A HUNT CHEMICAL CORP -- 810929, FLASH-O-GRAPH FIXER, PART B -- 6750-00-965-4952 Product ID:810929,FLASH-O-GRAPH FIXER,PART B MSDS Date:01/01/1985 FSC:6750 NIIN:00-965-4952 Kit Part:Y MSDS Number: BFZWG === Responsible Party === Company Name: PHILIP A HUNT CHEMICAL CORP City:PALISADES PARK State:NJ ZIP:07650 Info Phone Num:201-944-4000 **Emergency Phone Num:201-**944-4000 CAGE:GO841 === Contractor Identification === Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC Address:W 115 CENTURY RD Box:988 City:PARAMUS State:NJ ZIP:07653-0988 Country:US Phone:201-967-9603 CAGE:73877 Company Name: PHILIP A HUNT CHEM CORP CAGE:GO841 ======= Composition/Information on Ingredients ======== Ingred Name: ALUMINUM SULFATE

============= Hazards Identification ==================

Effects of Overexposure: IRRITANT BECAUSE OF ITS ACIDIC NATURE

===

First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND WATER. EYES:FLUSH EYES WITH WATER FOR AT LEAST 15 MIN GET MEDICAL ATTENTION				
======================================				
Flash Point:YES Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL				
======== Accidental Release Measures =========				
Spill Release Procedures:CONTAIN SPILL TRANSFER TO CO NTAINERS FOR DISPOSAL				
========== Handling and Storage ===========				
Handling and Storage Precautions:STORE IN COOL LOCATION; KEEP CONTAINERS SECURELY CLOSED AND WELL MARKED Other Precautions:AVOID CONTACT WITH EYES; WASH THOROUGHLY AFTER HANDLING				
====== Exposure Controls/Personal Protection ========				
Respiratory Protection:NORMALLY NOT NEEDED Ventilation:LOCAL EXHAUST Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Supplemental Safety a nd Health				
CAT NR.810929, PART B OF 2-PART KIT. KEY1:C1.				
======================================				
HCC:C1 Boiling Pt:B.P. Text:212F Vapor Pres:15 Spec Gravity:1.3 Solubility in Water:COMPLETE Appearance and Odor:NEARLY COLORLESS AQUEOUS LIQUID; ODORLESS Percent Volatiles by Volume:70				
========= Stability and Reactivity Data =========				
Stability Indicator/Materials to Avoid:YES STRONG ALKALIES Stability Condition to Avoid:EXCESSIVE HEAT AND COLD Haza				

======= First Aid Measures =========

rdous Decomposition Products:OXIDE	S OF SULFUR	PRODUCED	AT VERY HIGH
TEMPERATURES			

======= Disposal Considerations ===========

Waste Disposal Methods: CONSULT LOCAL REGULATIONS; SMALL QUANTITIES MAY BE DILUTED WITH WATER AN FLUSHED TO DRAIN

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or imp

lied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.