View NSN Online: https://aerobasegroup.kr/nsn/6810-00-982-3740

## J.T. BAKER CHEMICAL CO -- CYCLOHEXANE, ANALYZED REAGENT -- 6810-00-982-3740

============= Product Identification ========================

Product ID:CYCLOHEXANE, ANALYZED REAGENT

MSDS Date:01/01/1985

FSC:6810

NIIN:00-982-3740

MSDS Number: BGBKP === Responsible Party ===

Company Name: J.T. BAKER CHEMICAL CO

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219 Country:US

Info Phone Num:201-859-2151

**Emergency Pho** 

ne Num:201-859-2151

CAGE:5B970

=== Contractor Identification ===

Company Name: J.T. BAKER CHEMICAL COMPANY SUB OF RICHARDSON-VICKS INC

Address:995 ZEPHYR AVE

Box:City:HAYWARD

State:CA

ZIP:94544-7917

Country:US Phone:UNK

CAGE:5B970

Company Name: MALLINCKRODT BAKER, INC.

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ ZIP:08865 Country:US

Phone:800-582-2537

CAGE:70829

====== Composition/Information on Ingredients ========

Ingred Name: CYCLOHEXANE (SARA III)

CAS:110-82-7

R

ACGIH TLV:300 PPM, 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS ========== Hazards Identification =============== Effects of Overexposure: EYE/SKIN: IRRITATION. VAPORS: MAY ACT AS A **NARCOTIC** First Aid:EYE: FLUSH WITH WATER 15 MIN. SKIN: FLUSH WITH WATER. INHALATION: REMOVE FROM EXPOSURE, GIVE ARTIF RESP IF NEEDED. ============= Fire Fighting Measures == Flash Point:-4F/-20C (CC) Lower Limits:1.3 Upper Limits:8.4 Extinguishing Media: FOAM, DRY CHEMICAL, CARBON DIOXIDE Unusual Fire/Explosion Hazard:FLAMMABLE LIQUID ======== Accidental Release Measures ============ Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. ABSORB SPILL ON SAND, EARTH OR VERMICULITE. CAREFULLY SWEEP UP AND REMOVE. ALTERNATIVELY USE J.T. BAKER'S FLAMMABLE SOLVENT SPIL CLEAN-UP KIT. ====== Handling and St orage ========== Handling and Storage Precautions: KEEP IN TIGHTLY CLOSED CONTAINER. WASH THOROGHLY AFTER HANDLING.

Other Precautions:USE WITH ADEQUATE VENTILATION. AVOID BREATHING VAPOR, AND CONTACT WITH EYES, SKIN, AND CLOTHING.

====== Exposure Controls/Personal Protection ========

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN

Ventilation:LOCAL

TECS #:GU6300000 OSHA PEL:300 PPM

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES

Other Protecti

Shower. Supplemental Safety and Health CONTAINER SIZE: 500 ML BOTTLE
========= Physical/Chemical Properties ==========
HCC:F2 Boiling Pt:B.P. Text:80.7C/176F Vapor Density:2.9 Spec Gravity:0.78 Solubility in Water:NEGLIGIBLE Appearance and Odor:COLORLESS LIQUID;SOLVENT ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES NITROGEN DIOXIDE
===== Disposal Considerations ===========
Waste Disposal Methods:INCINERATE IN A FURNACE PROVIDING ENVIRON

ve Equipment:APPROVED WORKING CLOTHES,EYEBATH,SAFETY

**IMENTAL** REGULATIONS PERMIT.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this documen

t should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.