

SOUTHWEST PETRO-CHEM DIV, WITCO, INC. -- SA 8245292 -- 9150-00-985-7248

=====
Product Identification
=====

Product ID:SA 8245292

MSDS Date:01/01/1987

FSC:9150

NIIN:00-985-7248

MSDS Number: BGBVT

=== Responsible Party ===

Company Name:SOUTHWEST PETRO-CHEM DIV, WITCO, INC.

Emergency Phone Num:(913) 782-5800

CAGE:70878

=== Contractor Identification ===

Company Name:EXXON CO USA-SOUTHWEST GREASE BUSI
NESS UNIT

Address:1400 S HARRISON

Box:1974

City:OLATHE

State:KS

ZIP:66061

Country:US

Phone:913-656-3701/800-424-9300(CHEMTREC)

CAGE:70878

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL

ACGIH TLV:5MG/CUM(MIST)

Ingred Name:ADDITIVES

=====
Hazards Identification
=====

Effects of Overexposure:EYES/SKIN:MAY CAUSE IRRITATION ON
PROLONGED/REPEATED CONTACT;INHAL/INGESTION:NOT NOTED BY MFR.

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:>284F/>140C(COC)

Extinguishing Media:DRY CHEM,CO*2,FOAM,SAND/EARTH

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL
CONTR.

Unu

sual Fire/Explosion Hazard:MAY IGNITE BY HEAT,SPARK,FLAME,AIR
EXPOSURE;MAY REIGNITE,CONTACT W H*20 PRODUCES FLAMM GAS.

===== Accidental Release Measures =====

Spill Release Procedures:PROVIDE VENTILATION.ELIM IGNITION SOURCES.USE
PROPER PERSONAL PROTECTION.TRANSFER BULK OF SPILLS INTO A
CONTNR.ABSORB RESIDUE WITH COMMERCIAL ABSORBENT OR USE
SAND/EARTH/VERMICULITE.SWEEP UP & PLACE I N A CONTAINER TO DISPOSE
OF AS SOLID WASTE.

=====

== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:AVOID SKIN/CLOTHING CONTACT.LAUNDER CONTAMINATED
CLOTHING BEFORE REUSE.KEEP AWAY FROM FEED & FOOD PRODUCTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NO SPECIAL REQUIREMENTS W
ADEQUATE VENT.

Protective Gloves:RUBBER/PLASTIC

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.

Supplemental Safety and Health

MSDS FROM WITCO CHEM CO DATED:06/06/86; SPECIFICATION
REFERENCE;MIL-G-23827B.

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.947

Solubility in Water:NEGLIGIBLE

Appearance and Odor:GREEN SEMI-SOLID GREASE.MINERAL OIL ODOR

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS SUCH AS: CHROMIC ACID, BROMINE, HYDROGEN PEROXIDE

Stability Condition to Avoid: HEAT, IGNITION SOURCES

Hazardous Decomposition Products: INCOMPLETELY BURNED CARBON PRODUCTS,
CO₂, CO.

===== Disposal Considerations =====

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL, FEDERAL, STATE, & LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.