

PRATT & LAMBERT, INC. -- ENAMEL ALKYD S.G. BLUE 25193 -- 8010-00-995-6963

=====  
Product Identification  
=====

Product ID:ENAMEL ALKYD S.G. BLUE 25193

MSDS Date:01/01/1987

FSC:8010

NIIN:00-995-6963

MSDS Number: BGCHR

=== Responsible Party ===

Company Name:PRATT & LAMBERT, INC.

Emergency Phone Num:316-733-1361

CAGE:FO127

=== Contractor Identification ===

Company Name:PRATT & LAMBERT, INC/BUFFALO, NY  
14240

Box:22

CAGE:FO127

Company Name:PRATT AND LAMBERT INC

Address:Box:6027

City:CLEVELAND

State:OH

ZIP:44101-1027

Country:US

Phone:216-566-2902

CAGE:61196

=====  
Composition/Information on Ingredients  
=====

Ingred Name:\*MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7  
RTECS #:XR2275000  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name:TALC  
RTECS #:WW2715000

Ingred Name:SILICA, CRYSTALLINE - CRISTOBALITE  
CAS:14464-46-1  
RTECS #:VV7325000  
OSHA PEL:SEE TABLE Z3  
ACGIH TLV:0.05 MG/M3 RDUST9293

=====  
===== Hazards Identification =====

Effects of Overexposure:CN CAUS GASTROINTEST IRRIT,NAUSEA,VOMIT.MATR  
INTO LUNG CN CAUSCHEM PNEUMONITIS WH CN BE FATAL.

=====  
===== First Aid Measures =  
=====

First Aid:IF SWALLOW CALL POISONCONT CENTR,HOSP EMERG RM, OR DR  
IMMED.REMOV TO FRESH AIR IMMED.IF BREATH HASSTOPPED, GIVE ARTIF  
RESPIR.KP WARM & QUIET.GET MED ATTN IMMED.EYEIFLUSH W/LGAMTS OF  
WATR,LIFTNG UPPR & LOWR LIDS OCCAS.CONTINU F/AT LEAST 15 MINUTES.

=====  
===== Fire Fighting Measures =====

Flash Point:80F 27C  
Extinguishing Media:CL B EXTINGRS (CO\*2,ALL PURPOS DRY CHEM OR ALCOH  
FOAM.  
Fire Fighting Procedures:FIREFIGHTRS  
SHLD WEAR SELF-CONTND BREATHNG  
APPARATUS.  
Unusual Fire/Explosion Hazard:DURING EMERG CONDOVREXPOSR TO DECOMP  
PRODUCTS MAY CAUS HEALTH HAZ.OBTN MED ATTN."WARNING!FLAMBL.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:KP SPECTATORS AWAY.ELIMINATE ALL IGNIT SOURCES  
(FLAMES,HOT SURFACES,&SOURCES OF ELECTRICAL, STATIC OR FRICTIONAL  
SPARKS)DIKE & CONTN SPIL W/INERT MATRL(E.G. SAND, EARTH).TRANFR  
LIQUIDS TO COVRD METL C ONTNRS F/RECOVE

RY OR DISPOSAL OR REMOV  
W/INERT AB

=====  
Handling and Storage  
=====

Handling and Storage Precautions:DO NOT STORE ABOVE 95F.STORE LG QTYS  
IN COMPLIANCE W/OSHA 29CFR1910.106.

Other Precautions:DO NOT TAKE INTERN.CLOSE CONTNR AFTER EA USE.DO NOT  
BREATHE SANDING DUST.EMPTY CONTNRS MUST NOT BE WASH & RE-USED F/ANY  
PURPOS.CONTNRS SHLD BE GROUNDED & BOND TO RECEIVING CONTNR.DO NOT  
WELD,BRA

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH APPRVD MECH FICTR RESPIRATR TO REMOV  
OVERSPRAY.

Ventilation:PROVID GEN. DILUT/LOC EXHAUST VENTILAT IN SUFFIC VOL TO KP

Protective Gloves:SOLVNT IMPERMEA

Eye Protection:SAFETY SPECTACL W/SD-SHIE

Other Protective Equipment:NOT LIKELY TO BE NEEDED.

Supplemental Safety and Health

\*INDICATES SOLVENT

=====  
Physical/Chemical Properties  
=====

HCC:F3

Boiling Pt:B.P. Text:193-395F

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS OR ALKALINE MATERIALS.

Stability Condition to Avoid:EXCESSIVE HEAT & SOURCES OF IGNITION

=====  
Disposal Considerations  
=====

Waste Disposal Methods:DISPOS IN ACCORD W/FEDERAL,STATE & LOC  
LAWS.INCINERATE ONLY IN EPA PERMITTED FACILITY.DO NOT INCINERAT  
CLOS CONTNRS.OBSERV PRECAUTIONS FDISPOS OF FLAMMABLE MATRLS.CONTAM  
ABSORBANT MAY BE DISPOS IN A H AZ WASTE LANDFILL.DISPOS ONLY

IN

ACCORDW/FED,STAT

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.