

3M -- 3M BRAND SPRAY TRIM ADHESIVE 8074 -- 8040-00-995-7080

=====
Product Identification
=====

Product ID:3M BRAND SPRAY TRIM ADHESIVE 8074

MSDS Date:01/01/1985

FSC:8040

NIIN:00-995-7080

MSDS Number: BGCJC

=== Responsible Party ===

Company Name:3M

Emergency Phone Num:612-733-1110

CAGE:0F0U5

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address

:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:PACBROOK LTD

Address:15 GOSDITCH ST

City:CIRENCESTER GLOS GL7 2AG

Country:UK

Phone:NONE

CAGE:0F0U5

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 41.0%

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9293

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:CYCLOHEXANE (SARA III)

CAS:11

0-82-7
RTECS #:GU6300000
Fraction by Wt: 14.0%
OSHA PEL:300 PPM
ACGIH TLV:300 PPM, 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:STYRENE-BUTADIENE ELASTOMER

Ingred Name:ALIPHATIC HYDROCARBON PROPELLANTS
Fraction by Wt: 23.0%

=====
===== Hazards Identification =====

Effects of Overexposure:SPRAY IRRITATING TO EYES,DEFATTING OF SKIN,IRRITATING TO AIRWAY IF INHAL.

=====
===== First Aid Measures =====

First Aid:EYES:F
LUSH WITH WATER FOR 15 MIN. AND CALL DR. SKIN:WASH WITH SOAP AND WATER.PROVIDE FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point:AEROSOL
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:CO*2,FOAM,DRY CHEM.
Fire Fighting Procedures:TREAT AS PRESSURIZED CONTAINER
Unusual Fire/Explosion Hazard:TREAT AS PRESSURED CANTAINER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP RELEASED MATERIAL AND PLACE IN METAL CONTAINER WITH TOP CLOSURE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME.USE ONLY IN AREAS ADEQUATELY VENTILATED TO PREVENT VAPOR BUILDUP. AVOID EYE CONTACT.
Other Precautions:AVOID PROLONGED BREATHING OF VAPOR OR OVERSPRAY AND PROLONGED OR REPEATED SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN.FOLLOW PRECAUTIONS ON CONTAINER.

=====
===== Exposure Controls/Per

sonal Protection =====

Ventilation:LOCAL EXHAUST

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V3

Evaporation Rate & Reference:> ETHER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR ODOR.

Percent Volatiles by Volume:78.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:AVOID STORAGE > 120 F.

Hazardous Decomposition Products:CO,CO*2 AND SMOKE PARTICLES

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN MANICIPLE OR COMMERCIAL
INCINERATOR ALONG WITH OTHER REFUSE.EMPTY CONTAINERS MAY BE
DISPOSITED IN SANITARY LANDFILL IN ACCORDANCE WITH LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The Unite

d States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.