

CO-POLYMER CHEMICALS -- EPOXY ENAMEL R-84-G, PART A, CLEAR -- 5970-00-998-2800

=====  
Product Identification  
=====

Product ID:EPOXY ENAMEL R-84-G, PART A, CLEAR

MSDS Date:01/01/1987

FSC:5970

NIIN:00-998-2800

Kit Part:Y

MSDS Number: BGCLX

=== Responsible Party ===

Company Name:CO-POLYMER CHEMICALS

Address:12350 MERRIMAN ROAD

City:LIVONIA

State:MI

ZIP:48150

Country:US

Emergency Phone Num:(313) 421

-0800

CAGE:13178

=== Contractor Identification ===

Company Name:CO-POLYMER CHEMICALS INC

Address:12350 MERRIMAN RD

Box:City:LIVONIA

State:MI

ZIP:48150-1923

Country:US

CAGE:13178

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPOXY POLYAMIDE RESIN

Fraction by Wt: 50%

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 30%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000

LBS

Ingred Name:ALCOHOLS (TYPE NOT SPECIFIED)  
Fraction by Wt: 17.5%

Ingred Name:KETONE (TYPE NOT SPECIFIED)  
Fraction by Wt: 2.5%  
ACGIH TLV:200 PPM

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:NOT STATED BY MFR  
Effects of Overexposure:INHALATION:CAN CAUSE DIZZINESS,NAUSEA,POSSIBLE  
UNCONSCIOUSNESS,ASPHYXIATION; SKIN:PROLONGED OR REPEATED CONTACT  
CAN CAUSE MODERATE IRRITATI  
ON,DEFATTING OR DERMATITUS; EYES:CAN  
CAUSE SEVERE EYE IRRITTI ON; INGESTION:CAN CAUSE CNS DAMAGE  
Medical Cond Aggravated by Exposure:NOT STATED BY MANUFACTURER

=====  
First Aid Measures  
=====

First Aid:INTOXICATION:MOVE TO FRESH AIR & CALL DOCTOR.SKIN:WASH WITH  
MILD SOAP & WATER-WASH CLOTHING BEFORE RINSING.EYES:FLUSH WITH  
WATER FOR 15 MINUTES-CALL DOCTOR IMMEDIATELY.IF SWALLOWED:DO NOT  
INDUCE VOMIT ING,KEEP PERSON WARM,QUIET,& GET MEDICAL AT  
TENTION

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:64F/17.8C  
Lower Limits:1.0  
Upper Limits:7.0  
Extinguishing Media:CO\*2, FOAM, DRY CHEM.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:FLASHBACK ALONG VAPOR TRAIL MAY OCCUR;  
VAP MAY EXPL. IF IGNITED IN AN ENCLOSED AREA.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:KEEP A

WAY FROM OPEN FLAME OR SPARKS.SOAK UP WITH ABSORBENT MATERIAL. STOP LEAK IF WITHOUT RISK.USE WATER SPRAY TO REDUCE VAPORS.LARGE SPILLS:DIKE FOR LATER DISPOSAL.SMALL SPILLS:TAKE UP WITH SAND,EARTH,OR OTHER NON-COMBUSTIBLE ABSORBENT MATERIAL.

Neutralizing Agent:NOT KNOWN

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP

CONTAINERS TIGHTLY CLOSED

Other Precautions:DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXCEED TLV,NIOSH/MSHA APPR SELF-CONTND BRTHG APP (POS PR MODE)

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN