

CO-POLYMER CHEMICALS -- EPOXYN ENAMEL R-84-G, PART B, CLEAR -- 5970-00-998-2800

=====  
Product Identification  
=====

Product ID:EPOXYN ENAMEL R-84-G, PART B, CLEAR

MSDS Date:01/01/1987

FSC:5970

NIIN:00-998-2800

Kit Part:Y

MSDS Number: BGCLY

=== Responsible Party ===

Company Name:CO-POLYMER CHEMICALS

Address:12350 MERRIMAN ROAD

City:LIVONIA

State:MI

ZIP:48150

Country:US

Emergency Phone Num:(313) 421-0800

CAGE:13178

=== Contractor Identification ===

Company Name:CO-POLYMER CHEMICALS INC

Address:12350 MERRIMAN RD

Box:City:LIVONIA

State:MI

ZIP:48150-1923

Country:US

CAGE:13178

=====  
Composition/Information on Ingredients  
=====

Ingred Name:EPOXY POLYAMIDE RESIN

Fraction by Wt: 24%

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 45.6%

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:100

0 LBS

Ingred Name:ALCOHOLS (TYPE NOT SPECIFIED)

Fraction by Wt: 26.6%

Ingred Name:KETONE (TYPE NOT SPECIFIED)

Fraction by Wt: 3.8%

ACGIH TLV:200 PPM

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:NOT STATED BY MFR

Effects of Overexposure:INHALATION:CAN CAUSE DIZZINESS,NAUSEA,POSSIBLE  
UNCONSCIOUSNESS,ASPHYXIATION;SKIN:PROLONGED OR REPEATED CONTACT CAN  
CAUSE MODERATE IRRITATI

ON,DEFATTING OR DERMATITUS; EYES:CAN CAUSE  
SEVERE EYE IRRITATI ON; INGESTION:CAN CAUSE CNS DAMAGE.

Medical Cond Aggravated by Exposure:NOT STATED BY MANUFACTURER

=====  
===== First Aid Measures =====

First Aid:INHAL-MOVE TO FRESH AIR,CALL MD. SKIN-WASH W/MILD SOAP &  
WATER.WASH CLOTHES BEFORE REUSE,EYES-FLUSH WITH WATER FOR 15  
MIN-CALL DR IMMEDIATELY.INGEST-DO NOT INDUCE VOMITING.KEEP PERSON  
WARM & QUIET & G ET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:80F/26.7C

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.

Unusual Fire/Explosion Hazard:FLASHBACK ALONG VAPOR TRAIL MAY OCCUR;  
VAP MAY EXPL. IF IGNITED IN AN ENCLOSED AREA.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:KEEP AWAY FROM OPEN FLAME OR SPA

RKS.SOAK UP

WITH ABSORBENT MATERIAL.PLACE IN APPROVED DOT CONTAINERS FOR SHIPMENT TO DISPOSAL AREA.

Neutralizing Agent:NOT KNOWN

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:DO NOT BREATHE VAPORS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory P

rotection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)

Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN