

WITCO CHEMICAL CORP -- WITCARB ACTIVATED CARBON -- 4610-00-998-8279

=====
Product Identification
=====

Product ID:WITCARB ACTIVATED CARBON

MSDS Date:01/01/1987

FSC:4610

NIIN:00-998-8279

MSDS Number: BGCMW

=== Responsible Party ===

Company Name:WITCO CHEMICAL CORP

Emergency Phone Num:212-605-3640

CAGE:1F469

=== Contractor Identification ===

Company Name:WITCO CHEMICAL CORP GOLDEN BEAR OIL CO DIVISION

Address:MANOR & NORRIS ROADS

Box:5446

City:OILDALE

State:CA

ZIP:93388-5446

Country:US

Phone:805-393-7110/800-424-9300(CHEMTREC)

CAGE:1F469

Company Name:WITCO CORP GOLDEN BEAR DIVISION

Address:10100 SANTA MONICA BLVD SUITE 1470

City:LOS ANGELES

State:CA

ZIP:90067

Country:US

Phone:805-393-7110

CAGE:07750

=====
Composition/Information on Ingredients
=====

Ingred Name:GRAPHITE, SYNTHETIC

CAS:7440-44-0

RTECS #:FF5250100

Fraction by Wt: 100%.

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:2

MG/M3 TDUST; 9293

Ingred Name:THE CARTRIGE DEMINERALIZER CONSISTS OF THREE COMPONENTS:INGREDIENT 1 AND TWO MIXED RESINS
RTECS #:9999999ZZ

Ingred Name:CONT:CATION & ANION, NSN:4610009988279,FSCM:05852.
RTECS #:9999999ZZ

=====
Hazards Identification
=====

Effects of Overexposure:INHALATION OF CARBON DUST MAY CAUSE TEMPORARY RESPIRATORY DISCOMFORT.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MIN,CALL A PHYSICIAN.SKIN CONTACT:WASH THOROUGHLY WITH WATER.
INHALATION:REMOVE VICTIM TO FRESH AIR & CALL A PHYSICIAN.IF SWALLOWED:CALL A PHYSICIAN.

=====
Fire Fighting Measures
=====

Extinguishing Media:DRY CHEMICAL,CO*2,WATER SPRAY,WATER FOG,SAND/EARTH
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:VACUUM OR SWEEP UP SPILLS,AVOID CREATING DUST.

=====
Handling and Storage
=====

Handling and Storage Precautions:DO NOT ENTER VESSELS CONTAINING ACTIVATED CARBON BEFORE CHECKING OXYGEN LEVEL. VESSELS WITH LIMITED VENTILATION MAY BE LOW (CONT. IN "SUPP. DATA")

=====
Exposure Controls/Personal Protection
=====

Ventilation:TO MAINTAIN DUST BELOW TLV
Eye Protection:SAFETY GLASSES OR GOGGLES
Other Protective Equipment:NONE
Supplemental Safety and Health

lth

HAND/STO PRECAUTION:IN O*2 DUE TO ABSORBING CHARACTERISTICS. IF NECESSARY,USE A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:7600F/4200C

Spec Gravity:0.5

Appearance and Odor:SOLID,BLACK,GRANULES,ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO FEDERAL,STATE AND LOCAL REGULATIONS. CONSIDER POTENTIAL HAZARDS OF ANY ABSORBED MATERIAL BEFORE DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this docum
ent should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.