View NSN Online: https://aerobasegroup.com/nsn/7930-00-999-2417

BENDIX CORP, INSTRUMENTS & LIFE SUPPORT DIVISION -- DIRL-LUM 603 -- 7930-00-999-2417

Product ID:DIRL-LUM 603 MSDS Date:01/01/1985

FSC:7930

NIIN:00-999-2417

MSDS Number: BGCNQ === Responsible Party ===

Company Name: BENDIX CORP, INSTRUMENTS & LIFE SUPPORT DIVISION

Emergency Phone Num:(319) 383-6000

CAGE:MO470

=== Contractor Identification === Company Name:BENDIX COR

P ILS DIV(NOW REPLACED BY CAGE 99251)

Box:City:DAVENPORT

State:IA Country:US

Phone: CALL LITTON SYSTEMS 319-383-6000

CAGE:1L067

Company Name: BENDIX CORP, INSTRUMENTS & LIFE SUPPORT DIVISION

CAGE:MO470

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM METASILICATE

CAS:6834-92-0 RTECS #:VV9275000 Fraction by Wt: 39%

Ingred Name: SODIUM TRIPOLYPHOSPHATE

RTECS #:YK4900000 Fraction by Wt: 25%

Ingred Name: SODIUM CARBONATE

CAS:497-19-8

RTECS #: VZ4050000

Fraction b

Ingred Name:ANIONIC SURFACTANTS
======================================
Effects of Overexposure:AVOID CONTACT W/EYES, SKIN & CLOTHING
======================================
First Aid:EYES:IMMEDIATELY FLUSH W/WATER AT LEAST 15 MIN. SKIN:FLUSH W/WATER.
======================================
Flash Point:NONE
======== Accidental Release Measures ==========
Spill Release Procedures:NORMAL MAINTENANCE. CLEAN-UP W/WATER.
========== Handling and Storage ===========
Handling and Storage Precautions: NORMAL STORAGE IN DRY AREA.
====== Exposure Controls/Personal Protection ========
Ventilation:NORMAL Protective Gloves:YES Eye Protection:YES Supplemental Safety and Health SOLUBILITY IN WATER:SOLUBLE. ACUTE LD50 GREATER THAN 1770 MG/KG.
========= Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:NONE Appearance and Odor:PINK POWDER
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IN ACCORDANCE W/LOCAL, STATE AND FEDERA REG. DIRL-LUM IS BIODEGRADABLE.
Disclaimer (provided with this information by the compiling agencies):

y Wt: 28%

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite

d States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.