View NSN Online: https://aerobasegroup.kr/nsn/6750-01-004-6632

Product ID:ULTRA 2 DVLPR-REPLNSHR, PART B (NEW FORMULA) MSDS Date:06/11/1987 FSC:6750 NIIN:01-004-6632 MSDS Number: BGCRX === Responsible Party === Company Name: OLIN HUNT SPECIALTY PRODUCTS DIV OLIN CORPORATION Address:5 GARRET MOUNTAIN PLAZA City:W **EST PATERSON** State:NJ ZIP:07424 Country:US Info Phone Num:203-789-5436 Emergency Phone Num:1-800-654-6911 CAGE:OLINH === Contractor Identification === Company Name: FUJI HUNT PHOTOGRAPHIC CHEMICALS INC Address:W 115 CENTURY RD Box:988 City:PARAMUS State:NJ ZIP:07653-0988 Country:US Phone:201-967-9603 CAGE:73877 Company Name: OLIN HUNT SPECIALTY PRODUCTS INC. Address:5 GARRET MOUNTAIN PLAZA City:WEST PATERSON State:NJ ZIP:07424 Country:US Phone:203-789-5436 CAGE:OLINH

======= Composition/In

formation on Ingredients =========

Ingred Name:SODIUM FORMALDEHYDE BISULFITE, WT% RANGE 25-30%. LD50 (LOW) 3200 MG/KG CAS:870-72-4 RTECS #:PB2200000 Fraction by Wt: 27.5%

Ingred Name:HYDROQUINONE (SARA III) CAS:123-31-9 RTECS #:MX3500000 Fraction by Wt: 12.5% OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9192 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:2-METHOXYETHANOL (EGME) (SARA III) CAS:109-86-4 RTECS #:KL5775000 Fraction by Wt: 3% OSHA PEL:S, 25 PPM ACGIH TLV:S, 5 PPM; 9192

Ingred Na me:SODIUM SULFITE, WT% RANGE 1-5%. LD50 (LOW) 2825 MG/KG CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 3%

Ingred Name:BORIC ACID, WT% RANGE 1-5%. LD50 2660 MG/KG (ORAL RAT) CAS:10043-35-3 RTECS #:ED4550000 Fraction by Wt: 3%

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE EYE-SKIN BURNS & IRRITATION, ANEMIA, DERMATI

TIS, BIRTH DEFECTS. MAY AFFECT REPRODUCTIVE SYSTEM, CNS & BLOOD.
Effects of Overexposure:EYE: BURNS, MODERATE TO SEVERE IRRITATION. SKIN: IRRITATION, DERMATITIS. INHALATION: IRRITATION OF MUCOUS MEMBRANES, UPPER RESPIRATORY TRACT. INGESTION: GI TRACT IRRITATION, NAUSEA, VOMITING, DIARRHEA. MATERIAL IS FETOTOXIC AND TERATOGENIC. Medical Cond Aggravated by Exposure:ANY PREEXISTING ALLERGY, SENSITIVITY OR ORGAN DYSFUNCTION.
======================================
First Aid:EYE: FLUSH 15 MINUTES W/AMPLE WATER. SKIN:WASH SOAP & WATER. INHALATION:REMOVE TO FRESH AIR, GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS REQUIRED. INGESTION: IF CONSCIOUS, GIVE AMPLE WATER AND INDUCE VOM ITING. NOTHING BY MOUTH IF UNCONSCIOUS.CALL A PHYSICIAN IMMEDIATELY ALL CASES.
======================================
Flash Point:NONE Extinguishing Media:WATER SPRAY, DRY CHEMICAL, ALCOHOL FOAM, CARBON DIOXIDE. Fire Fig
hting Procedures:COOL EXPOSED CONTAINERS W/WATER SPRAY. USE SCBA RESPIRATOR POSITIVE PRESSURE MODE.
======================================
Spill Release Procedures:USE SCBA RESPIRATOR PP MODE. WEAR ALL PRESCRIBED PROTECTIVE GEAR. STOP LEAK, CONFINE SPILL, COLLECT SPILLAGE WITH ABSORBENT, PLACE IN CLOSABLE CONTAINER. WASH DOWN SPILL AREA WITH DETERGENT SOLUTION T O DRAIN.
======================================
Handling and Storage Precautions:STORE IN COOL,DRY, WELL VENTILATION AREA. AVOID CONTACT W/OXIDIZING AGENTS. AVOID EYE-SKIN CONTACT. DO NOT INHALE OR INGEST.
======================================
Respiratory Protection:USE SCBA RESPIRATOR PP MODE FOR FIREFIGHTING OR SPILL CLEANUP. Ventilation:LOCAL EXHAUST. Protective Gloves:IMPERVIOUS. Eye Protection:GOGGLES, FACE SHIELD. Other Protective Equipment:IMPERVIOUS COVERALLS, APRON. Work Hygienic Practices:AVOID EYE

-SKIN CONTACT. DO NOT INHALE OR INGEST. WASH THOROUGHLY AFTER USE. LAUNDER WORK CLOTHING BEFORE REUSE. Supplemental Safety and Health

OLIN-HUNT PRODUCT CAT# IS 812420. PACKAGE MAKES 30 GL OF MIX. THIS PNI C IS NEW FORMULA PART B OF TWO-PART KIT AND IS TO BE USED W/PART A. OLD FORMULA PART B (PNI B) NOT MANUFACTURED AFTER JUN87.

HCC:N1 Boiling Pt:B.P. Text:212F/100C Vapor Pres:15 Spec Gravity:1.29 pH:6.7 Evapor ation Rate & amp; Reference:1 (WATER=1) Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID, FAINT FORMALDEHYDE ODOR. Percent Volatiles by Volume:45

Stability Indicator/Materials to Avoid:YES STRONG ACIDS, ALKALAIS, OXIDIZERS. Stability Condition to Avoid:EXCESS HEAT. Hazardous Decomposition Products:STRONG HEATING WILL RELEASE FORMALDEHYDE AND SULFUR DIOXIDE VAPORS.

====== Disposal Considerati

Waste Disposal Methods: LANDFILL IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume re sponsibility for the suitability of this information to their particular situation.