

ALLOY RODS CORPORATION -- ATOM ARC 7018 0.156 10 LB CAN -- 3439-01-008-6200

=====  
===== Product Identification =====

Product ID:ATOM ARC 7018 0.156 10 LB CAN  
MSDS Date:06/06/1986  
FSC:3439  
NIIN:01-008-6200  
MSDS Number: BGCYS  
=== Responsible Party ===  
Company Name:ALLOY RODS CORPORATION  
Address:WILSON AVENUE  
Box:517  
City:HANOVER  
State:PA  
ZIP:17331  
Info Phone Num:717-637-8911  
Emergency Phone Num:717-637-89  
11  
CAGE:84021

=== Contractor Identification ===  
Company Name:ESAB GROUP INC  
Address:801 WILSON AVENUE  
Box:517  
City:HANOVER  
State:PA  
ZIP:17331  
Country:US  
Phone:717-637-8911 OR 800-933-7070  
CAGE:84021

=====  
===== Composition/Information on Ingredients =====

Ingred Name:IRON  
CAS:7439-89-6  
RTECS #:NO4565500  
Other REC Limits:5MG/M3  
OSHA PEL:10MG/M3  
ACGIH TLV:5MG/M3

Ingred Name:SILICON  
CAS:7440-21-3  
RTECS #:VW0400000  
Other REC Limits:10MG/M3  
OSHA PEL:10 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TD

UST; 9192

Ingred Name:SODIUM SILICATE  
CAS:6834-92-0  
RTECS #:VV9275000  
OSHA PEL:5MG/M3 (RESP. DUST)  
ACGIH TLV:0.1MG/M3(Resp.DUST)

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Other REC Limits:10MG/M3  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE  
CAS:13463-67-7  
RTECS #:XR2275000  
Other REC Limits:10MG/M3  
OSHA PEL:10 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:MANGANESE (SARA III)  
CAS:7439-96-5  
RTECS #:OO92750  
00  
Other REC Limits:5MG/M3 (C)  
OSHA PEL:5 MG/M3 DUST  
ACGIH TLV:5 MG/M3 DUST 9192

Ingred Name:POTASSIUM SILICATE  
CAS:1312-76-1  
OSHA PEL:5MG/M3 (RESP.DUST)  
ACGIH TLV:0.1MG/M3(Resp.DUST)

Ingred Name:CALCIUM FLUORIDE  
CAS:7789-75-5  
RTECS #:EW1760000  
Other REC Limits:2.5MG/M3  
OSHA PEL:2.5 MG/M3 (F)  
ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:POTASSIUM FELDSPAR  
CAS:7789-75-5  
Other REC Limits:10MG/M3(NUISANCE)  
OSHA PEL:NOT LISTED  
ACGIH TLV:NOT LISTED

Ingred Name:ZIRCON (ZIRCONIUM IV,SILICATE)  
CAS:1494

0-68-2  
RTECS #:ZH9000000  
Other REC Limits:5MG/M3  
OSHA PEL:5 MG/M3/10 STEL (ZR)  
ACGIH TLV:5 MG/M3/10 STEL (ZR)

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Health Hazards Acute and Chronic:ACUTE:METALLIC TASTE,NAUSEA,TIGHTNESS  
OF CHEST,FEVER,DIZZINESS,DRYNESS,IRRITATION OF EYES,NOSE,THROAT.  
CHRONIC: EXCESSIVE LEVELS MAY CAUSE BRONCHIAL ASTHMA,LUNG  
FIBROSIS,SIDEROSIS. ARC RAYS CAN INJURY EYES & BURN SKIN.  
ELECTRIC  
SHOCK CAN KILL.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:AGGRAVATION OF EXISTING RESPIRATORY  
OR ALLERGIC CONDITIONS. HIGHER LEVEL OF LUNG RELATED PROBLEMS AMONG  
SMOKERS.

=====  
===== First Aid Measures =====

First Aid:REMOVE FROM EXPOSURE & OBTAIN PROMPT MEDICAL ATTENTION. IF  
NOT BREATHING,GIVE CPR. IF UNCONSCIOUS,GIVE OXYGEN. EMPLOY FIRE AID  
TECHNIQUES RECOMMENDED BY AMERICAN RED CROSS.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE  
Extinguishing Media:APPROPRIATE FOR SURROUNDING FIRE.  
Unusual Fire/Explosion Hazard:WELDING ARCS & SPARKS CAN IGNITE  
COMBUSTIBLE PRODUCTS.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUE &  
PLACE IN APPROPRIATE DISPOSAL CONTAINER.

=====  
===== Handling and Storage =====

Other Precautions:TR

AIN WELDER TO KEEP HIS HEAD OUT OF THE FUMES.

MONITOR AIR TO ENSURE ACCEPTABLE EXPOSURES. AVOID ELECTRICAL SHOCK BY MAINTAINING DRY WORK AREA.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR IN CONFINED SPACES OR WHERE VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.

Ventilation:LOCAL EXHAUST

Protective Gloves:WELDER'S GLOVES

Eye Protection:HELMET OR FACE SHIELD WITH FILTER LENS

Other Protective

Equipment:SUBSTANTIAL DARK CLOTH,ARM PROTECTOR,APRON, HAT,SHOULDER PROTECTION.

Work Hygienic Practices:WASH AFTER HANDLING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:WELDING ROD 0.156 INCHES DIAMETER BY 14 INCHES LONG.

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:FUMES OF METALS & METAL OXIDES,CO,CO

2,NO2, O3,FLUORIDES

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person util

izing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.