View NSN Online: https://aerobasegroup.kr/nsn/3439-01-008-6200

Product ID: ATOM ARC 7018 0.156 10 LB CAN MSDS Date:06/06/1986 FSC:3439 NIIN:01-008-6200 **MSDS Number: BGCYS** === Responsible Party === Company Name: ALLOY RODS CORPORATION Address:WILSON AVENUE Box:517 **City:HANOVER** State:PA ZIP:17331 Info Phone Num:717-637-8911 Emergency Phone Num:717-637-89 11 CAGE:84021 === Contractor Identification === Company Name: ESAB GROUP INC Address:801 WILSON AVENUE Box:517 **City:HANOVER** State:PA ZIP:17331 Country:US Phone:717-637-8911 OR 800-933-7070 CAGE:84021 Ingred Name:IRON CAS:7439-89-6 RTECS #:NO4565500 Other REC Limits:5MG/M3 OSHA PEL:10MG/M3 ACGIH TLV:5MG/M3 Ingred Name:SILICON CAS:7440-21-3 RTECS #:VW0400000 Other REC Limits:10MG/M3 OSHA PEL:10 MG/M3 TDUST ACGIH TLV:10 MG/M3 TD

UST; 9192

Ingred Name:SODIUM SILICATE CAS:6834-92-0 RTECS #:VV9275000 OSHA PEL:5MG/M3 (RESP. DUST) ACGIH TLV:0.1MG/M3(RESP.DUST)

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 Other REC Limits:10MG/M3 OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Other REC Limits:10MG/M3 OSHA PEL:10 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9192

Ingred Name:MANGANESE (SARA III) CAS:7439-96-5 RTECS #:OO92750 00 Other REC Limits:5MG/M3 (C) OSHA PEL:5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9192

Ingred Name:POTASSIUM SILICATE CAS:1312-76-1 OSHA PEL:5MG/M3 (RESP.DUST) ACGIH TLV:0.1MG/M3(RESP.DUST)

Ingred Name:CALCIUM FLUORIDE CAS:7789-75-5 RTECS #:EW1760000 Other REC Limits:2.5MG/M3 OSHA PEL:2.5 MG/M3 (F) ACGIH TLV:2.5 MG/M3 (F); 8990

Ingred Name:POTASSIUM FELDSPAR CAS:7789-75-5 Other REC Limits:10MG/M3(NUISANCE) OSHA PEL:NOT LISTED ACGIH TLV:NOT LISTED

Ingred Name:ZIRCON (ZIRCONIUM IV,SILICATE) CAS:1494 0-68-2 RTECS #:ZH9000000 Other REC Limits:5MG/M3 OSHA PEL:5 MG/M3/10 STEL (ZR) ACGIH TLV:5 MG/M3/10 STEL (ZR)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic:ACUTE:METALLIC TASTE,NAUSEA,TIGHTNESS OF CHEST,FEVER,DIZZINESS,DRYNESS,IRRITATION OF EYES,NOSE,THROAT. CHRONIC: EXCESSIVE LEVELS MAY CAUSE BRONCHIAL ASTHMA,LUNG FIBROSIS,SIDEROSIS. ARC RAYS CAN INJURY EYES & BURN SKIN. ELECTRIC SHOCK CAN KILL.
Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:AGGRAVATION OF EXISTING RESPIRATORY OR ALLERGIC CONDITIONS. HIGHER LEVEL OF LUNG RELATED PROBLEMS AMONG SMOKERS.
======================================
First Aid:REMOVE FROM EXPOSURE & OBTAIN PROMPT MEDICAL ATTENTION. IF NOT BREATHING,GIVE CPR. IF UNCONSCIOUS,GIVE OXYGEN. EMPLOY FIRE AID TECHNIQUES RECOMMENDED BY AMERICAN RED CROSS.
====== ===============================
Flash Point:NONE Extinguishing Media:APPROPRIATE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:WELDING ARCS & SPARKS CAN IGNITE COMBUSTIBLE PRODUCTS.
======================================
Spill Release Procedures:CLEAN UP ANY GRINDING DUST OR WASTE RESIDUE & PLACE IN APPROPRIATE DISPOSAL CONTAINER.
======================================

Other Precautions:TR

AIN WELDER TO KEEP HIS HEAD OUT OF THE FUMES. MONITOR AIR TO ENSURE ACCEPTABLE EXPOSURES. AVOID ELECTRICAL SHOCK BY MAINTAINING DRY WORK AREA.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection: FUME RESPIRATOR OR AIR SUPPLIED RESPIRATOR IN CONFINED SPACES OR WHERE VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV.

Ventilation:LOCAL EXHAUST

Protective Gloves:WELDER'S GLOVES

Eye Protection: HELMET OR FACE SHIELD WITH FILTER LENS

Other Protective

Equipment:SUBSTANTIAL DARK CLOTH, ARM PROTECTOR, APRON,

HAT, SHOULDER PROTECTION.

Work Hygienic Practices:WASH AFTER HANDLING.

Supplemental Safety and Health

HCC:N1

Appearance and Odor:WELDING ROD 0.156 INCHES DIAMETER BY 14 INCHES LONG.

Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:FUMES OF METALS & METAL OXIDES,CO,CO 2,NO2, O3,FLUORIDES

Waste Disposal Methods:DISPOSE OF IAW FEDERAL,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person util

izing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.