

INDUSTRIAL SMELTING CO.(ISCO DIV) -- TIN/LEAD ALLOY -- 3439-01-009-6254

=====  
Product Identification  
=====

Product ID:TIN/LEAD ALLOY

MSDS Date:01/01/1987

FSC:3439

NIIN:01-009-6254

MSDS Number: BGCZS

=== Responsible Party ===

Company Name:INDUSTRIAL SMELTING CO.(ISCO DIV)

Address:19430 MOUNT ELLIOTT AVE.

City:DETROIT

State:MI

ZIP:48234-2725

Country:US

Emergency Phone Num:313-892-5300

CAGE:7P279

===

Contractor Identification ===

Company Name:INDUSTRIAL SMELTING CO

Address:19430 MOUNT ELLIOTT AVE

Box:City:DETROIT

State:MI

ZIP:48234-2725

Country:US

Phone:313-345-5500

CAGE:7P279

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TIN

CAS:7440-31-5

RTECS #:XP7320000

Fraction by Wt: 63.5%

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9192

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 35.5%

OSHA PEL:0.05 MG/M3;1910.1025

ACGIH TLV:0.15 MG/M3;DU

ST 9192  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ANTIMONY (SARA III)  
CAS:7440-36-0  
RTECS #:CC4025000  
Fraction by Wt: 0.5%  
OSHA PEL:0.5 MG/M3  
ACGIH TLV:0.5 MG SB/M3; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:COPPER (SARA III)  
CAS:7440-50-8  
RTECS #:GL5325000  
Fraction by Wt: 0.08%  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2MG/M3 FUME; 9192  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:BISMUTH  
CAS:7440-69-9  
RTECS #:EB2600000  
Fraction by Wt: 0.25%

Ingred Name:ARSEN  
IC (SARA III)  
CAS:7440-38-2  
RTECS #:CG0525000  
Fraction by Wt: 0.03%  
OSHA PEL:0.5 MG/M3 (AS)  
ACGIH TLV:0.01,A1 MG/M3; 9394  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:IRON  
CAS:7439-89-6  
RTECS #:NO4565500  
Fraction by Wt: 0.02%

Ingred Name:ZINC (SARA III)  
CAS:7440-66-6  
RTECS #:ZG8600000  
Fraction by Wt: 0.005%  
OSHA PEL:10 MG ZNO/M3  
ACGIH TLV:10 MG ZNO/M3; 9192  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ALUMINUM (SARA III)  
CAS:7429-90-5  
RTECS #:BD0330000  
Fraction by Wt: 0.005%  
OSHA

PEL:15MG/M3 DUST/5 FUME  
ACGIH TLV:10MG/M3 DUST; 9192

=====  
Hazards Identification  
=====

Effects of Overexposure:EARLY SYMPTOMS OF LEAD INTOXICATION INCLUDE  
CONSTIPATION,INSOMNIA,GASTROINTESTINAL DISORDERS,ANEMIA,WEAKNESS &  
JOINT PAIN.

=====  
First Aid Measures  
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION  
FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE KNOWN  
Extinguishing Media:ANY SUITABLE MEDIA FOR SURROUNDING FIRES.  
Fire Fighting Procedures:DO NOT USE WATER.USE NIOSH APPROVED SCBA WITH  
FULL PROTECTIN  
Unusual Fire/Explosion Hazard:NONE NOTED

=====  
Accidental Release Measures  
=====

Spill Release Procedures:USE PROPER PERSNAL PROTECTION;NO SPECIAL  
M  
ETHOD,FOR SCRAP METAL.IF DUST THERE,USE VACUUM AND COLLECT FOR  
PROPER DISPOSAL.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS  
AND KEEP AWAY FROM SOURCES OF IGNITION;USE GOOD HOUSE KEEPING AND  
PERSNAL HYGIENE.  
Other Precautions:AVOID CONTACT WITH SKIN AND EYES;USE PROPER PERSNAL  
PROTECTIVE EQUIPMENT IN CASE METAL DUST/FMES+LEAD CAN CAUSE LEAD  
POISONING ALSO AFFECTS CNS DISORDER.INGE

ST:G.I PAIN,MUSCLE  
PAIN,WEAKNESS.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:FULL PROTECTIVE CLOTHING,SAFETY SHOWER,EYE  
WASH STATION

Supplemental Safety and Health

MSDS DATED SEPT,185.ITEM IS OF SPEC QQ-S-571,I FORM AND S

TYPE;ANTIMONYTRIOXIDE,AS,CD HAVE BEEN IDENTIFIED AS POTENTIAL HUMAN  
CARCINOGENS(IN THE FORM OF ME

TAL FUMES) INGREDIENTS:AS