

SELECTRONS PACIFIC, INC. -- SPS 5260 SELECTRON COPPER -- 6850-01-011-2351

=====
Product Identification
=====

Product ID:SPS 5260 SELECTRON COPPER

MSDS Date:01/01/1987

FSC:6850

NIIN:01-011-2351

MSDS Number: BGDDG

=== Responsible Party ===

Company Name:SELECTRONS PACIFIC, INC.

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Info Phone Num:203-755-9900

Em

ergency Phone Num:203-755-9900

CAGE:MO515

=== Contractor Identification ===

Company Name:SELECTRONS LTD

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Phone:203-755-9900

CAGE:13929

Company Name:SELECTRONS PACIFIC, INC.

Address:137 MATTATUCK HEIGHTS ROAD

Box:115

City:WATERBURY

State:CT

ZIP:06725-0115

Country:US

Phone:203-755-9900

CAGE:MO515

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANESULFONIC ACID, CAS 75-

75-2
CAS:75-75-2
RTECS #:PB1140000
Fraction by Wt: 10%.

Ingred Name:CUPRIC SULFATE (SARA III)
CAS:7758-98-7
RTECS #:GL8800000
Fraction by Wt: 7.8%
OSHA PEL:1 MG CU/M3
ACGIH TLV:1 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

=====
Hazards Identification
=====

Effects of Overexposure:INHAL: IRRIT TO MUCOUS MEMBRANES; SKIN/EYES:
IRRIT; INGEST: TOXIC

=====
First Aid Measures
=====

First Aid:INHAL:RMV TO FRESH AIR. CONTA
CT:IMMED FLUSH EYES W/PLENTY OF
WATER, WASH SKIN W/SOAP & WATER. RMV CONTAM CLTHG & SHOES.
INGEST:INDUCE VOMITING. RPT UNTIL VOMIT IS CLEAR. NOTHING BY MOUTH
IF UNCONSC. G ET MEDICAL ATTN.

=====
Fire Fighting Measures
=====

Flash Point:NONE
Unusual Fire/Explosion Hazard:SO*X GASES MAY EVOLVED BY EXPOSURE TO
HIGH HEAT.

=====
Accidental Release Measures
=====

Spill Release Procedures:NEUTRALIZE WITH SODA ASH. COLLECT
IN SUITABLE
CONTAINER FOR TRANSPORT TO TREATMENT FACILITY WHERE IT MAY BE
DISPOSED OF I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS. DO NOT
FLUSH TO SEWER OR DRAIN BEC AUSE OF COPPER CONTENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM HEAT IN WELL
VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED. AVOID PHYSICAL
CONTACT. USE NORMAL HYGIENE FOR CHEM HANDLING.
Other Precautions:KEEP AWAY FROM HEAT - VENT

CONTAINER BEFORE OPENING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ACID MIST CANISTER
Ventilation:LOCAL EXHAUST TO ELIMINATE MISTS/FUMES/GASES.
Protective Gloves:IMPERV. RUBBER
Eye Protection:CHEM SPLASH GOGGLES
Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.
Supplemental Safety and Health
UPDATE PER OSHA MSDS REV D DTD 5AUG85 TO CORRECT SHIPPING & STORAGE
DATA SOLN PH=1.0.

===== Physi
cal/Chemical Properties =====

HCC:C2
Spec Gravity:1.282
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR BLUE SOLUTION. DISTINCTIVE SULFUR ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/STRONG ALKALI

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH STATE OR FEDERAL
REGULATIONS.

Disclaimer (provided with this in
formation by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.