

FISK BROTHERS REFINING CO -- THREA-EZY DARK CUTTING OIL -- 9150-01-013-5281

=====
Product Identification
=====

Product ID:THREA-EZY DARK CUTTING OIL

MSDS Date:01/01/1987

FSC:9150

NIIN:01-013-5281

MSDS Number: BGDJJ

=== Responsible Party ===

Company Name:FISK BROTHERS REFINING CO

Emergency Phone Num:419-691-2491

CAGE:JO977

=== Contractor Identification ===

Company Name:FISK BROTHERS REFINING CO

CA

GE:JO977

Company Name:FISKE BROTHERS REFINING CO

Address:1500 OAKDALE AVE

Box:City:TOLEDO

State:OH

ZIP:43605

Country:US

Phone:419-691-2491

CAGE:9N579

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL, TYPE NOT SPECIFIED

Fraction by Wt: UNK

ACGIH TLV:NOT KNOWN

Ingred Name:FATTY OILS,TYPE NOT SPECIFIED

Fraction by Wt: UNK

ACGIH TLV:NOT KNOWN

Ingred Name:SULPHUR

CAS:7704-34-9

RTECS #:WS4250000

Fraction by Wt: UNK

Ingred Name:TLV OF 5 MG/CUM AS FOR

OIL-MIST RECOMMENDED(ACGIH

1985-1986)

RTECS #:9999999ZZ

===== Hazards Identification =====

Effects of Overexposure:IRRITATING TO SKIN & EYES.LOW ORDER OF ACUTE ORAL TOXICITY.

===== First Aid Measures =====

First Aid:EYE:FLUSH W/COPIOUS AMOUNT OF WATER;SKIN:WASH WITH SOAP & WATER;INHALE:REMOVE TO FRESH AIR,GIVE ARTIFICIAL RESPIRATION IF NEEDED;ING: CALL A PHYSICIAN IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:335F/168C(COC)

Lower Limits:1

Upper Limits:7

Extinguishing Media:CO*2, FOAM, WATER MIST, CHEMICAL(DRY-TYPE)

Fire Fighting Procedures:MFR STATES: "SAME AS FOR OILS"

Unusual Fire/Explosion Hazard:EMPTY CONTAINERS RETAIN RESIDUE.DO NOT CUT,DRILL,GRIND OR WELD AS THEY MAY EXPLODE

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER LIQUID,WASH REMAINDER WITH SUITABLE PETROLEUM SOLVENT OR ADD ABSORBENT.KEEP PRODUCT OUT OF SEWERS & WATER COURSES.ADVISE AUTHORITIES IF PRODUCT HAS ENTERED OR MAY ENTER SEWERS & WATER COURSES.

===== Handling and Storage =====

Handling and Storage Precautions:MFR STATES:"NO SPECIAL"

===== Exposure Controls/Personal Protection =====

Respiratory Protection:MFR. LISTS NONE; RECOMMEND TYPE NORMAL FOR OIL-MIST ENVIRONS.

Ventilation:LOCAL EXHAUST

Protective Gloves:OIL-RESISTANT

Eye Protect

ion:SAFETY GLASSES
Other Protective Equipment:OIL-RESISTANT APRON
Supplemental Safety and Health
MSDS DATED 12-85

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>550F/288C
Spec Gravity:0.918
Viscosity:165/190 SUS
Evaporation Rate & Reference: