

3M COMPANY-TELCOMM PRODUCTS DIVISION -- SCOTCHCAST 4407, PART B -- 5975-01-017-5697  
===== Product Identification =====

Product ID:SCOTCHCAST 4407, PART B  
MSDS Date:11/13/1985  
FSC:5975  
NIIN:01-017-5697  
Kit Part:Y  
MSDS Number: BGDSV  
=== Responsible Party ===  
Company Name:3M COMPANY-TELCOMM PRODUCTS DIVISION  
Address:3M CENTER  
City:ST PAUL  
State:MN  
ZIP:55144-1000  
Country:US  
Emergency Phone Num:612-733  
-1110  
CAGE:55203  
=== Contractor Identification ===  
Company Name:MINNESOTA MINING AND MFG CO TELCOMM MARKETS DIV  
Address:3M AUSTIN CTR  
Box:City:AUSTIN  
State:TX  
ZIP:79769-2963  
Country:US  
Phone:800-426-8688  
CAGE:55203

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCARBON POLYOL (WT% RANGE:80-90%)  
Fraction by Wt: 85%.  
Other REC Limits:NONE

Ingred Name:PLASTICIZER (WT% RANGE:10-20%)  
Fraction by Wt: 15%.  
Other REC Limits:NONE

Ingred Name:ALIPHATIC AMINE (WT%

RANGE:0.1-0.5%)  
Fraction by Wt: 0.3%  
Other REC Limits:NONE

===== Hazards Identification =====

LD50 LC50 Mixture:ACUTE ORAL (RAT) LD50 < 5ML/KG  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:LOW ACUTE TOXICITY HAZARD, NO CHRONIC  
EFFECTS REPORTED. SEE CARCINOGEN NOTE.  
Effects of Overexposure:EYE:SL IRRT. SKN:SL IRRT. MODERATE TO SEVERE  
IRRT IF CURED MATERIAL FO  
RCIBLY REMOVED FROM SKIN. INHL: IRRT, POSS  
ASTHMA SYMPTOMS. INGEST: GI TRACT IRRT POSSIBLE, POSSIBLE  
IRREVERSIBLE EFFECT (SEE CARC INOGEN NOTE).  
Medical Cond Aggravated by Exposure:ANY PRE-EXISTING SENSITIVITY OR  
ALLERGY IN EXPOSED TISSUE.

===== First Aid Measures =====

First Aid:EYE: FLUSH 15 MIN W/AMPLE WATER. SKIN: REMOVE CONTAMINATED  
CLOTHING/FOOTWEAR. WASH EXPOSED SKIN W/SOAP & WATER. INHAL: REMOVE  
VICTIM TO FRESH AIR. INGEST: IF C  
ONSCIOUS, GIVE TWO GLASSES WATER &  
CALL P HYSICIAN OR POISON CENTER, TRY TO DETERMINE DOSE.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>270F/>132C  
Extinguishing Media:CO\*2, FOAM, DRY CHEMICAL  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:AVOID EXCESS HEAT & IGNITION SOURCES.

===== Accidental Release Measures =====

Spill Release Procedures:COLLECT PART B SPILL W/ABSORBENT, PLACE IN  
C  
LOSABLE CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY W ADEQUATE VENTILATION. AVOID  
EYE/SKN CONTACT. DO NOT INHALE OR INGEST.  
Other Precautions:CURED MATERIAL IS DIFFICULT TO REMOVE FROM SKIN.  
LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE CCROV RESPIRATOR  
Ventilation:LOCAL  
Protective Gloves:IMPERVIOUS  
Eye Protection:GO

GGLES, SAFETY GLASSES

Other Protective Equipment:NONE

Supplemental Safety and Health

3M MSDS DOC# 10-3071-7, DTD 13NOV85. 3M ID# IS 80-6100-6040-4.KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Vapor Pres:NEG

Spec Gravity:1.005

Viscosity:450 CPS

Solubility in Water:INSOLUBLE

Appearance and Odor:AMBER OILY LIQUID

Percent Volatiles by Volume:NEG

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

N

ONE

Stability Condition to Avoid:AVOID EXCESS HEAT & IGNITION SOURCES.

Hazardous Decomposition Products:CARBON OXIDES, TRACES OF HCN, NITROGEN OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IAW ALL LAWS & REGS.  
CURED RESIN MAY BE LANDFILLED, PART A NOT AN EPA HAZWASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of

Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.