

EASTMAN KODAK CO. -- 155 5655,FLEXCOLR BLCH,C-41,PT A (PRE 9/80) -- 6750-01-022-8410

=====  
Product Identification  
=====

Product ID:155 5655,FLEXCOLR BLCH,C-41,PT A (PRE 9/80)

MSDS Date:11/01/1972

FSC:6750

NIIN:01-022-8410

Kit Part:Y

MSDS Number: BGFDJ

=== Responsible Party ===

Company Name:EASTMAN KODAK CO.

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-72

2-5151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 65-70%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: LOW HAZARD FOR INHALATION,  
INGESTION AND SKIN CONTACT. MAY CAUSE MILD, TRANSIENT IRRITATION OF  
EYES. CHRONIC; NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.  
Effects of Overexposure:EYES: REDNESS, TEARING, BLURRED VISION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE PERSON TO FRESH AIR. GET MEDICAL ATTENTION  
IF SYMPTOMS PERSIST. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES.  
GET MEDICAL ATTENTION . SKIN: WASH WITH SOAP & WATER. GET MEDICAL  
ATTENTION IF SYMPTOMS PERSIST. INGESTED: IF CONSCIOUS, GIVE 1-2  
GLASSES OF WATER. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:PRODUCT GENERATES AMMONIA AND BROMINE IN  
THE HEAT OF FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.  
OTHERWISE, ABSORB WITH VERMICULITE OR OTHER INERT MATERIAL, THEN  
PLACE IN A CONTAINER FOR CHEMICAL WASTE.CLEAN SURFACE THOROUGHLY TO  
REMOVE RESIDUAL CONTAMINATION.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED AND AWAY FROM  
INCOMPATIBLE MATERIALS.  
Other Precautions:AVOID CONTACT WITH EYES. AVOID PROLONGED OR REPEATED  
CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY  
AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE

NORMALLY REQUIRED. IF ENGINEERING CONTROLS

FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS. USE IAW 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV. (10 ROOM CHANGES PER HOUR).

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS(OR GOGGLES

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER, WASHING

FACILITIES.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

KEY1=N1. PART A OF A 2 PART KIT. SEE PART W FOR WORKING SOLUTION.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:SUBLIMES

Vapor Pres:NEG

Spec Gravity:2.55

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE POWDER, ODORLESS

Percent Volatiles by Volume:NEG

=

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACIDS, ACID SALTS, ALKALIS

Hazardous Decomposition Products:AMMONIA, CHLORAMINE, HYDROGEN BROMIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements

of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.