View NSN Online: https://aerobasegroup.kr/nsn/8010-01-023-4538

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PRC PRIMER 420,PT B (NEW FORMULA) --

5610-01-023-4538

Product ID:PRC PRIMER 420,PT B (NEW FORMULA)

MSDS Date:10/01/1985

FSC:5610

NIIN:01-023-4538

MSDS Number: BGFHJ === Responsible Party ===

Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209

Inf

o Phone Num:(818)240-2000

Emergency Phone Num:(818) 240-2060

Preparer's Name: MBY

CAGE:DO563

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

Company Name: PRODUCTS RESEARCH & CHEMICAL

Address: NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA ZIP:91209

Phone:818-240-2060

CAGE:DO563

====== Composition/Information on

Ingredients =======

Ingred Name: 1 METHOXY-2-PROPANOL ACETATE

CAS:108-65-6

RTECS #:AI8925000

Fraction by Wt:

Other REC Limits:100 PPM (MFR)

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:1-NITROPROPANE

CAS:108-03-2

RTECS #:TZ5075000 Other REC Limits:25 PPM

OSHA PEL:25 PPM

ACGIH TLV:25 PPM; 9192

Ingred Name: METHYL N-AMYL KETONE

CAS:110-43-0

RTECS #:MJ5075000

Fraction by Wt:

Other REC Limits:50 PPM

OSHA PEL:100 PPM

ACGIH TLV:50 PPM; 9192

Ingred Name: CALCIUM MAGNESIUM SILICATE

CAS:14807-96-6

RTECS #:VV7720000

Fraction by Wt:

Other REC Limits: 2 MG/M3 (MFR)

OSHA PEL:20 MPPCF

ACGIH TLV:2 MG/M3 (MFR)

Ingred Name: IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt:

Other REC Limits: 5 MG/M3 (MFR)

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name: SILICA, AMORPHOUS, DUST

CAS:112945-52-5 RTECS #:VV7310000 OSHA PEL:6 MG/M3

ACGIH TLV:10 MG/M3; 8990

============== Hazards Identification =======================

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA

Explanation of Carcinogenicity:NOT APPLICABLE Effects of Overexposure:EYES: IRRITATION. SKIN: IRRITATION. INH: HEADACHE;NAUSEA;IRRIT MUC MEMBR;MARCOSIS. INGEST:MOD TOXIC
======================================
First Aid:EYES: FLUSH W/WATER 15 MIN. IF NECESSARY, CONSULT A PHYSICIAN. SKIN: WSH W/SOAP & WATER. IFF SYMPTOMS PERSIST, CONSULT A PHYSICIAN, INH: REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT, CONSULT A PHYSICIAN. INGEST: CONSULT A PHYSICIAN
======================================
Flash Point Method:PMCC Flash Point:101F OR 38.3C Lower Limits:UNK Upper Limits:UNK Extinguishing Media:FOAM,CO*2,DRY CHEMICAL,WATER SPRAY. Fire Fighting Procedures:USE WATER TO COOL HEAT-EXPOSED CONTAINERS Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.
========= Accidental Release Measures ==========
Spill Release Procedures:SCOOP INTO CONTAINER. CL EAN UP RESIDUE W/CHLORINATED SOLVENT. (TAKE NECESSARY PRECAUTIONS FOR CHLORINATED SOLVENT.
=========== Handling and Storage ============
Handling and Storage Precautions:NONE
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NIOSH/MSHA APPRVD RESP PROTECT IF CONDITIONS REQ. CONSULT SAFETY/IH. Ventilation:GNERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL/TLV. Protective Gloves:SOLVENT RESIST Eye Protection:GOGGLES OR FUL

:NO

Supplemental Safety and Health DATE IF ISSUE: 10-01-85. ADD HAZ INGRED: SILICA,CAS NO.7631-86-9,TLV NOT ESTABLISHED.
========= Physical/Chemical Properties ==========
HCC:F4 Vapor Pres:UNK Vapor Density:UNK Spec Gravity:1.17 Solubility in Water:MODERATE Percent Volatiles by Volume:84
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS;STRONG ALKALIS Hazardous Decomposition P roducts:OXIDES OF CARBON & NITROGEN, HCL
====== Disposal Considerations ==========

L FACE SHLD

Waste Disposal Methods: EPA NO. D001 HAZARDOUS WASTE. DISPOSE OF IN COMPLIANCE W/FEDERAL & STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be ac curate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.