

LIGHTALARMS ELECTRONICS CORP (GRAYBAR DISTR-1B241) -- L-3 (SEE ADDTL DATA) --
6140-01-024-8980

===== Product Identification =====

Product ID:L-3 (SEE ADDTL DATA)

MSDS Date:01/01/1985

FSC:6140

NIIN:01-024-8980

MSDS Number: BGFLX

=== Responsible Party ===

Company Name:LIGHTALARMS ELECTRONICS CORP (GRAYBAR DISTR-1B241)

Address:1510 TOMLYNN ST

City:RICHMOND

State:VA

ZIP:23230-3313

Country:US

CAGE:0272

0

=== Contractor Identification ===

Company Name:GRAYBAR ELECTRIC CO INC

Address:1510 TOMLYNN ST

Box:City:RICHMOND

State:VA

ZIP:23230-3313

Country:US

Phone:804-359-1381

CAGE:1B241

Company Name:LIGHTALARMS ELECTRONICS CORP

Address:1170 ATLANTIC AVENUE

Box:City:BALDWIN

State:NY

ZIP:11510-4205

Country:US

Phone:516-379-1000

CAGE:02720

===== Composition/Information on Ingredients =====

Ingred Name:SULFURIC ACID (SARA III)

CAS:7664-93-9

RTECS #:WS5600000

Fraction by Wt: 31%

OSHA P

EL:1 MG/M3
ACGIH TLV:1 MG/M3; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 69%

=====
Hazards Identification
=====

Effects of Overexposure:H*2504 IS CORROSIVE. IT WILL CAUSE FIRST DEGREE SKIN BURNS.

=====
First Aid Measures
=====

First Aid:FLOOD WITH FRESH WATER.SEEK MEDICAL ASSISTANCE.

=====
Fire Fighting Measures
=====

=====

Flash Point:NONE
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:BATTERY MAY OUTGAS HYDROGEN GAS AT ELEVATED TEMPERATURE OR DURING OVERCHARGE

=====
Accidental Release Measures
=====

Spill Release Procedures:FLOOD WITH WATER TO DILUTE - COVER WITH SODIUM CARBONATE OR AN EQUAL MIXTURE OF SODA ASH & SLAKED LIME. AFTER MIXING, ADD WATER IF NECESSARY TO FORM A SLURRY.

=====
Handling and Storage
=====

Handling and Storage Precautions:WEAR RUBBER GLOVES, GOGGLES AND APPROPRIATE PROTECTIVE CLOTHING WHEN HANDLING WET BATTERIES.

=====
Exposure Controls/Personal Protection
=====

Ventilation:ADEQUATE
Protective Gloves:RUBBER
Eye Protection:GOGGLES OR SAFETY GLASSES
Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:C1
Spec Gravity:1.220
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR - SULFUROUS ODOR

=====

== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: HYDROGEN GENERATED, WHEN ITEM
CONNECTED TO BATTERY CHARGER.

===== Disposal Considerations =====

Waste Disposal Methods: ADD SLOWLY TO A LARGE AMT OF SOLUTION OF SODA
ASH & SLAKED LIME BY STIRRING. DISCHARGE SOLUTION WITH LARGE AMT OF
WATER INTO A LINED SINK OF PROTECTIVE MATTING, & FILLED WITH
CHIPPED MARBLE.

Disclaimer

er (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.