

AMSOIL INC. -- GEAR LUBE 80W90 (GL-5);AGL -- 9150-01-035-5393

=====
Product Identification
=====

Product ID:GEAR LUBE 80W90 (GL-5);AGL

MSDS Date:01/01/1987

FSC:9150

NIIN:01-035-5393

MSDS Number: BGGKV

=== Responsible Party ===

Company Name:AMSOIL INC.

Emergency Phone Num:715-392-7101

CAGE:EO090

=== Contractor Identification ===

Company Name:AMSOIL INC

Address:925 TOWER AVE

Box:City:SUPERIOR

State

:WI

ZIP:54880

Country:US

Phone:715-392-7101

CAGE:0A7X1

Company Name:AMSOIL INC.

CAGE:EO090

=====
Composition/Information on Ingredients
=====

Ingred Name:LUBRICATING OIL (TAKE TLV AS OIL MIST)

ACGIH TLV:5MG/CUM (MFR)

Ingred Name:ADDITIVES

ACGIH TLV:NOT SPECIFIED

=====
Hazards Identification
=====

Effects of Overexposure:EYE/SKIN:IRRITANT ON PROLONGED

CONTACT;INGEST;CNS EFFECTS IN LAB ANIMALS;INHAL:RESP.TRACT
IRRITATION

=====

=====
First Aid Measures
=====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*2O FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE.

=====
Fire Fighting Measures
=====

Flash Point:374F/190C (D-92)
Extinguishing Media:CO*2,DRY CHEMICAL OR FOAM.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED
AREA.
Unusual Fire/Explosion Hazard:NONE NOTED BY THE MFR

=====
Accidental Release Measures
=====

Spill Release Procedures:USE PROPER PERSONAL PROTECTION;USE SUITABLE
INERT ABSORBENT MATERIAL AND RECOVER FOR PROPER DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:USE NIOSH/MSHA APPROVED RESPIRATORY
PROTECTION;STORE AWAY FROM HEAT& OPEN FLAMES:KEEP CONTAINERS CLOSED
WHEN NOT IN USE.
Other Precautions:AVOID CONTACT WITH EYES& SKIN;DO NOT BREATHE
VAPORS/MIST.WASH THOROUGHLY AFTER EACH USE.

=====
Exposure Controls/Personal Protection
=====

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE
VENTILATION
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR
PROLONGED CONTACT.
Supplemental Safety and Health
MSDS DATED:10/8/86 (REVISED)

=====
Physical/Chem
=====

ical Properties =====

HCC:V6

Spec Gravity:0.921

Evaporation Rate & Reference: