

BATTENFELD AMERICA INC -- MIL-L-2105-80/90 LUBE OIL -- 9150-01-035-5394

=====
Product Identification
=====

Product ID:MIL-L-2105-80/90 LUBE OIL

MSDS Date:11/01/1990

FSC:9150

NIIN:01-035-5394

MSDS Number: BGGMP

=== Responsible Party ===

Company Name:BATTENFELD AMERICA INC

Address:1575 CLINTON ST

City:BUFFALO

State:NY

ZIP:14200

Country:US

Info Phone Num:716-822-8410

Emergency Phone Num:716-822-8410

Preparer's Name:THOMAS G. MUSILLI

CAGE:61808

=== Contractor Identification ===

Company Name:BATTENFELD AMERICA INC

Address:1575 CLINTON ST

Box:City:BUFFALO

State:NY

ZIP:14206

Country:US

Phone:716-822-8410

CAGE:61808

Company Name:BATTENFELD GREASE AND OIL CORP OF NEW YORK INC

Address:1174 ERIE AVE

Box:728

City:NORTH TONAWANDA

State:NY

ZIP:14120-3036

Country:US

Phone:716-695-2100

CAGE:60226

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT DEWAXED RESIDUAL

OIL (PETROLEUM)
CAS:64742-62-7
Fraction by Wt: 63.00%
Other REC Limits:NONE SPECIFIED

Ingred Name:MINERAL OIL
CAS:64742-65-0
RTECS #:PY8038500
Fraction by Wt: 30.75%
Other REC Limits:NONE SPECIFIED

Ingred Name:HITEC 632 (METHACRYLATE) (ETHYL PETROLEUM ADDITIVES,
ST.LOUIS, MO)
Fraction by Wt: 0.75%
Other REC Limits:NONE SPECIFIED

Ingred Name:HITEC 370 (ETHYL PETROLEUM ADDITIVES, ST.LOUIS, MO)
Fraction by Wt: 5.50%
Other REC Limits:NONE SPECIFIED

=====
Hazards Identifica
tion =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS VERY MILDLY IRRITATING TO
BODY TISSUES. MOST LIKELY HAZARD IS THAT OF BREATHING THE MIST OR
VAPORS SHOULD THE PRODUCT BE HEATED OR MISTED.
Explanation of Carcinogenicity:THE PRODUCT CONTAINS NO INGREDIENT THAT
IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.
Effects of Overexposure:EYE:MILD IRRITATION. S
KIN:POSSIBLE MILD
IRRITATION. INHALED:RESPIRATORY IRRITATION,POSSIBLE PULMONARY EDEMA
IF MIST IS INHALED. INGESTED:NONE GIVEN BY MANUFACTURER
(SUPPLIER).
Medical Cond Aggravated by Exposure:NONE REPORTED

=====
First Aid Measures =====

First Aid:EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH
SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE
REUSE. INHALED:REMOVE TO FRESH AIR. RESTORE BREATHING IF
NECESSARY. I

INGESTED: DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF MILK OR WATER AND GET IMMEDIATE MEDICAL CARE. GIVE NOTHING BY MOUTH IF UNCONSCIOUS. IF IRRITATION PERSISTS OR IS SEVERE,SEE A DOCTOR.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:380F,193C

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG. WATER, ESPECIALLY STREAM, MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A

FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. CONTAIN RUNOFF.

Unusual Fire/Explosion Hazard:NONE GIVEN BY MANUFACTURER (SUPPLIER).

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER AS LIQUID IF POSSIBLE. ADSORB REMAINDER ON EARTH,SAND,SAWDUST,ETC. KEEP OUT OF DRAINS, SEWERS, AND WATERWAYS. STORE IN CLOSED CONTAINERS PENDING DISPOSAL.

Neutralizing Agent:NONE

=====

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WILL NOT NORMALLY BE NECESSARY. USE NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR OR RESPIRATOR FOR OIL MIST IF EXPOSURE IS ABOVE THE TLV/PEL. SEE 29 CFR 1910.134 FOR REGULATIONS PERTAINING TO RESPIRATOR USE.

Ventilatio

n:NORMAL ROOM VENTILATION SHOULD BE SUFFICIENT. SUPPLEMENT WITH LOCAL EXHAUST IF NEEDED (OIL MIST).

Protective Gloves:NEOPRENE OR BUTYL RUBBER (OIL RESISTANT)

Eye Protection:SAFETY GLASSES OR SPLASH GOGGLES S

Other Protective Equipment:AS NEEDED TO PREVENT PROLONGED/REPEATED CONTACT.

Work Hygienic Practices:USE GOOD INDUSTRIAL HYGIENE PRACTICE. MINIMIZE PERSONAL CONTACT. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

MFR CODE 60411-80/90

===== Ph

ysical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:800F,427C

Spec Gravity:0.90

pH:UNKNON

Solubility in Water:NEGLIGIBLE

Appearance and Odor:FLUID (HEAVY OIL) LIQUID, BLAND ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIGH TEMPERATURES, OPEN FLAME

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE

===== Disposal Consid

erations =====

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE, LOCAL REGULATIONS.
MFR SUGGESTS RECYCLE OR IF THAT IS NOT PRACTICLE TO INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.