

TOSCO CORP -- LION MULTI-GRADE GEAR LUBE OIL 85W/140 -- 9150-01-035-5396

=====
Product Identification
=====

Product ID:LION MULTI-GRADE GEAR LUBE OIL 85W/140

MSDS Date:01/01/1985

FSC:9150

NIIN:01-035-5396

MSDS Number: BGGPY

=== Responsible Party ===

Company Name:TOSCO CORP

Emergency Phone Num:(415) 228-1220

CAGE:MO655

=== Contractor Identification ===

Company Name:LION OIL CO

Address:AVON REFINER

Y

Box:City:MARTINEZ

State:CA

ZIP:94553-1487

Country:US

CAGE:6E338

Company Name:TOSCO CORPORATION

Address:376 S VALENCIA AVENUE

Box:City:BREA

State:CA

ZIP:92823

Country:US

Phone:800-762-0742

CAGE:MO655

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM HYDROCARBON (SEE SUPP DATA)

Fraction by Wt: 100%

ACGIH TLV:5MG/CUM (MFR)

=====
Hazards Identification
=====

Effects of Overexposure:EYE: IRRIT. SKIN: IRRIT LEAD TO DERMAT

OR OTHER

DISORDERS. INH: RESP IRRIT. INGEST: G.I. IRRIT,VOMIT

=====
First Aid Measures
=====

First Aid:EYE:FLUSH W/ LG AMT OF COOL WATER AT LOW PRESS, MIN OF 15 MIN. GET MEDICAL ATTN. SKIN: REMOVE BY WIPING; WASH W/ SOAP/WATER. INH: REMOVE TO FRESH AIR,GIVE ARTIF RESP IF NEC. SEE MD. INGEST: DONT INDUC E VOMIT. ASPIR TO LUNGS, POSS CHEM PNEUM. SEE MD.

=====
Fire Fighting Measures
=====

Flash Point:405-41

5 COC

Extinguishing Media:CO*2,DRY CHEM. FOAM & WATER FOG ARE EFFECT BUT POSS FROTHNG

Fire Fighting Procedures:USE PROPER PROT EQUIP. MAY INCLUDE SELF-CONT BRTNG APPAR

Unusual Fire/Explosion Hazard:MODERATELY COMBUSTIBLE, THIS MATERIAL MAY FORM FLAM OR EXPLO VAP IN CONFINED AREA IF TEMP >FLASH PT.

=====
Accidental Release Measures
=====

Spill Release Procedures:CONTAIN LG SPILLS BY DIKING & RECOVERING; CLEAN UP W/MATERIALS SUCH AS CLAY,DIATOMACEOUS EARTH OR OTHER INERT MATERIALS. USE WATER FOG TO REDUCE VAPORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM HEAT & FLAMES OR STRONG OXIDIZERS. WASH BEFORE EATING OR SMOKING.

Other Precautions:USE GOOD PERSONAL HYGIENE PRACTICES. IN CASE OF SKIN CONTACT, WIPE & THEN WASH W/SOAP/WATER. CONTAM CLOTHING SHOULD BE REMOVED & LAUNDERED. DISCARD GROSSLY CONTAM LEATHER GOODS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE REQ'D UNDER NORM AMBIENT CONDITIONS,ADEQ VENT, W/ VAP 1.0

Evaporation Rate & Reference:>1.0 (ETHER)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:DARK BROWN, OILY ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS

Stability Condition to Avoid:EXCESSIVE HEAT, STRONG OXIDIZERS

Hazardous Decomposition Products:CO, CO*2 & OXYGENATES MAY BE FORMED

DURING COMBUST

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE AT AN APPRVD DISPOSAL SITE, COMPLYING
W/ALL FEDERAL,STATE & LOCAL CODES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability
y for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.