

COURTAULDS AEROSPACE INC -- PR-1523 -- 8010-01-043-5031

===== Product Identification =====

Product ID:PR-1523

MSDS Date:01/01/1985

FSC:8010

NIIN:01-043-5031

MSDS Number: BGHHB

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:757 CALIFORNIA ST

Box:1800

City:GLENDALE

State:CA

ZIP:91203

Country:US

Info Phone Num:818-549-7973

Emergency Phone Num:818-549-7973

CAGE:83574

=== Cont

ractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CHLOROBENZENE (SARA III)

CAS:108-90-7

RTECS #:CZ0175000

Fraction by Wt: 50%

OSHA PEL:75 PPM

ACGIH TLV:10 PPM; 9192

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:POLYMERIC DIISOCYANATE

Fraction by Wt: 50

%  
ACGIH TLV:C,0.02 PPM

=====  
Hazards Identification  
=====

Effects of Overexposure:IRRITATES EYES,SKIN.BRTHG IRRITATES  
MUCOUSE;CAUSES HEADACHE,NAUSEA.

=====  
First Aid Measures  
=====

First Aid:SKIN:WASH THOROUGHLY W SOAP AND WATER.EYES:PROLONGED  
IRRIGATION W.WATER.CALL A PHYSICIAN.INGESTION:INDUCE  
VOMITING.INHALATION:REMOVE TO FRESH AIR.

=====  
Fire Fighting Measures  
=====

Flas  
h Point:80F (PMCC)  
Lower Limits:1.3  
Upper Limits:1.7  
Extinguishing Media:FOAM, CO\*2, DRY CHEMICAL  
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APPARATUS.  
Unusual Fire/Explosion Hazard:EMISSION OF TOXIC VAPORS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:STOP LEAK AT SOURCE.ELIMINATE IGNITION  
SOURCES.KEEP UNPROTECTED PERSONS AWAY FROM HAZARD AREA.ABSORB SPILL  
W.RAGS,PAPER TOWELS,OTHER ABSORBENT MATL.PLACE IN TIGHTLY CLOSABLE  
CONTAIN  
ERS.PROVIDE ADEQUAT E VENTILATION TO DISPEL VAPORS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:PRODUCT IS MOISTURE SENSITIVE AND  
FLAMMABLE.KEEP IN TIGHTLY CLOSED CONTAINERS IN DRY,COOL AREA.  
Other Precautions:AVOID CONTACT W/SKIN & EYES. AVOID BRTHING VAPORS.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:MFR STATES: NOT REQUIRED IN NORMAL USAGE.  
Ventilation:ADEQUATE TO MINIMIZE VAPORS

P

Protective Gloves: RUBBER/HAND CRM  
Eye Protection: SAFETY GLASSES/FACE SHLD  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F5  
Boiling Pt: B.P. Text: 270F  
Vapor Pres: 10  
Vapor Density: 3.9  
Spec Gravity: 1.16  
Appearance and Odor: BROWN LIQ; PUNGENT ODOR  
Percent Volatiles by Volume: 50.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
HYGROSCOPIC; REACTS W/MOISTURE TO NEGATE PROD. EFFECT  
VNSS.  
Stability Condition to Avoid: AVOID HEAT, IGNITION SOURCES.  
Hazardous Decomposition Products: ABNORMAL TEMPS MAY CAUSE TOXIC  
VAPOR: ISOCYANATE/CHLORINE FUM

===== Disposal Considerations =====

Waste Disposal Methods: MFR RECM: TIGHTLY CLOSED CONTAINERS IN  
LANDFILL. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL CODES. DO  
NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by  
elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.