

MILLER DIAL/FOTOFOIL -- CHLORINATED SOLVENT MIX. -- 6750-01-047-8563

=====
Product Identification
=====

Product ID:CHLORINATED SOLVENT MIX.

MSDS Date:01/01/1985

FSC:6750

NIIN:01-047-8563

MSDS Number: BGHRK

=== Responsible Party ===

Company Name:MILLER DIAL/FOTOFOIL

Address:4400 N TEMPLE CITY BLVD

City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:MO734

=== Contractor Identification ===

Company Name:

MILLER DIAL CORP FOTOFOIL DIVISION

Address:4400 N TEMPLE CITY BLVD

Box:City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:91345

Company Name:MILLER DIAL/FOTOFOIL

Address:4400 N TEMPLE CITY BLVD

Box:City:EL MONTE

State:CA

ZIP:91731

Country:US

CAGE:MO734

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT R

pt Qty:1000 LBS
Ozone Depleting Chemical:1

Ingred Name:METHYLENE CHLORIDE (SARA III)
CAS:75-09-2
RTECS #:PA8050000
OSHA PEL:500 PPM/C,1000; Z2
ACGIH TLV:50 PPM, A2; 9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER SKIN:REMOVE CONTAMINATED CLOTHING,WASH
AFFECTED AREAS WITH SOAP AND WATER.INGESTION:INDUCE
VOMITING,INHALATION;REMOVE TO FRESH AIR

=====
Fire Fighting Measure
s =====

Flash Point:NONE
Fire Fighting Procedures:CARBON DIOXIDE OR FOAM,AS APPROPRIATE FOR
SURROUNDINGS.
Unusual Fire/Explosion Hazard:AVOID EXPOSURE TO OPEN FLAMES OR
EXTREMELY HIGH TEMPERATURES

=====
Accidental Release Measures
=====

Spill Release Procedures:GET PERSONNEL PROTECTIVE EQUIPMENT.SOAK UP
SPILL IN ABSORBENT MATERIAL AND PUMP INTO DRUMS FOR DISPOSAL,WASH
DOWN AREA WITH WATER

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID PHYSICAL DAMAGE TO DRUMS,STORE
IN VENTILATED AREAS OUT OF SUN AND FIRE HAZARDS
Other Precautions:PROTECT STORAGE TANK VENTS WITH A DRYER

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:ORGANIC VAPOR-ACID GAS CANNISTER-SELF CONTAINING
BREATHING
Ventilation:LOCAL-AT POINTS OF EMMISION-GENERAL ROOM VENTILATION
Protective Gloves:YES,NEOPRENE
Eye Protection:CHEMICAL SAFETY GOGGLES
Oth

er Protective Equipment:NEOPRENE SAFETY SHOES AND FACE SHIELD
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T4
Spec Gravity:1.314
Solubility in Water:NONE
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Disposal Considerations =====

Waste Disposal Methods:SUBMIT TO CONTRACT SERVICE FOR RECLAMATION OR
DISPOSAL

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.