

THE DEXTER CORP. -- EPK 6C KT PART B (HARDENER) -- 8040-01-048-2193

=====
Product Identification
=====

Product ID:EPK 6C KT PART B (HARDENER)

MSDS Date:01/01/1987

FSC:8040

NIIN:01-048-2193

Kit Part:Y

MSDS Number: BGHRZ

=== Responsible Party ===

Company Name:THE DEXTER CORP.

Emergency Phone Num:603-474-5541

CAGE:DO846

=== Contractor Identification ===

Company Name:FEDERAL SPECIFICATIONS, PROMULGAT

ED BY GSA

Box:City:WASHINGTON

State:DC

Country:US

CAGE:81348

Company Name:THE DEXTER CORP. WATER MANAGEMENT SYSTEMS DIVISION

Box:200

City:CHAGRIN FALLS

State:OH

ZIP:44022

Country:US

Phone:216-247-5000

CAGE:DO846

=====
Composition/Information on Ingredients
=====

Ingred Name:DIETHYLENE TRIAMINE

CAS:111-40-0

RTECS #:IE1225000

Fraction by Wt: 1-15%

OSHA PEL:1 PPM

ACGIH TLV:S, 1 PPM; 9192

Ingred Name:TALC

RTECS #:WW2715000

Fraction by Wt: 30-5%

ACGIH TLV:*

Ingred Name:SILICA (T

TYPE NOT SPECIFIED)

Fraction by Wt: 1-15%

ACGIH TLV:*

===== Hazards Identification =====

Effects of Overexposure:CAUSES SEVERE EYE & SKIN BURNS.

===== First Aid Measures =====

First Aid:IN CASE OF SKN CONTACT,WASH IMMED W/SOAP & WATER. IN CASE OF EYE CONTACT FLUSH W/COPIOUS AMTS OF WATER FOR AT LEAST 15 MINUTES. CONSULT A DR.

===== Fire Fighting Measures =====

Flash Point:215F O

.C.102C

Extinguishing Media:USE WATER SPRAY, DRY CHEM,ALCOHOL FOAM, OR CO*2

Fire Fighting Procedures:USE WATER TO KP FIRE-EXPOSED CONTNRS COOL.

Unusual Fire/Explosion Hazard:CARE MUST BE TAKEN TO PREVENT IGNIT WHN PROCESSING/HANDL AT TEMOERATURES ABOVE THE FLASH POINT.

===== Accidental Release Measures =====

Spill Release Procedures:SCRAPE UP EXCESS, TRANSFR TO METAL CONTAINER.

===== Handling and Storage =====

Handling and St

orage Precautions:PROTECT FR PHYSICAL DAMAG.STORE IN

COOL,DRY,WELL VENTILATED AREA AWAY FRM ANY AREA WHERE FIRE HAZARD MAY BE ACUTE.

Other Precautions:IS A STRONG SKIN SENSITIZER. AVOID SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:PLASTIC OR RUBR

Eye Protection:GOGGLES WHER DANGR OF SPL

Other Protective Equipment:USE OF PROTECTIV SKN CREAM IS RECOMMENDED.

Supplemental Safety and Health

KEY1:N1.

===== Physical/Chemica

I Properties =====

HCC:N1

Vapor Pres: