

VISUAL GRAPHIC CORPORATION. -- 31-70000-202 POS COLOR ASTD.KIT-BLCH/NEUT. --
6750-01-048-3022

===== Product Identification =====

Product ID:31-70000-202 POS COLOR ASTD.KIT-BLCH/NEUT.

MSDS Date:05/01/1988

FSC:6750

NIIN:01-048-3022

Kit Part:Y

MSDS Number: BGHSJ

=== Responsible Party ===

Company Name:VISUAL GRAPHIC CORPORATION.

Address:5701 N.W. 94TH AVENUE

City:TAMARAC

State:FL

ZIP:33321

Country:US

Info Phone Num:305-722-3000 OR LOCAL MARKETING

Emergency Phone Num:305-722-3000 EX 2299

CAGE:MO736

=== Contractor Identification ===

Company Name:VISUAL GRAPHIC CORPORATION.

Address:5701 N.W. 94TH AVENUE

Box:City:TAMARAC

State:FL

ZIP:33321

Country:US

Phone:305-722-3000 OR LOCAL MARKETING

CAGE:MO736

Company Name:VISUAL GRAPHICS CORP.

Address:5701 NW 94 TH AVENUE

Box:City:TAMARAC

State:FL

ZIP:33321-4317

Country:US

Phone:305-722-3000 EXT. 2299

CAGE:26030

===== Composition/Information on

Ingredients =====

Ingred Name:SODIUM CARBONATE

CAS:479-19-8

Fraction by Wt: >95%

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT IS IRRITATION TO BODY TISSUES.

Effects of Overexposure:EYE:IRRITATION,POSSIBLE BURNS. SKIN:POSSIBLE

IRRITATION. INHAL:RESPIRATORY,IRRITATION. INGESTED:G/I IRRITATION.

Medical Cond Aggrav

ated by Exposure:NONE REPORTED

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER 15 MIN. SKIN:WASH WITH SOAP & WATER.

INHALED:REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION OR OXYGEN

AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE QUANTITY OF

MILK OR WATER.(NOTHING BY MOUTH IF UNCONSCIOUSNES.) GET IMMEDIATE

MEDICAL ATTENTION. IF ANY IRRITATIO N PERSISTS OR IS SEVERE,GET

PROMPT MEDICAL CARE.

=====

Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR VACUUM. USE CARE TO PREVENT DUST.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE I

N A COOL, DRY, WELL VENTILATED

AREA. STORE TIGHTLY CLOSED. DO NOT STORE WEAR FOOD, DRINK, TOBACCO
Other Precautions: REMOVE CONTAMINATED CLOTHING. LAUNDRY BEFORE REUSE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE EXPECTED TO BE NECESSARY.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: RUBBER, PLASTIC, OTHER IMPERVIOUS

Eye Protection: SAFETY GLASSES. OR SPLASH GOGGLES

Other Protective Equipment: PLASTIC OR RUBBER APRON.

Work Hygienic Practi

ces: USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID
UNNECESSARY CONTACT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: N1

Spec Gravity: 3.25

Solubility in Water: COMPLETE

Appearance and Odor: WHITE POWDER, NO ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG ACIDS

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: NONE

===== Disposal

Considerations =====

Waste Disposal Methods: DISPOSE I/A/W FEDERAL, STATE, LOCAL, REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional ad

vice to verify and
assume responsibility for the suitability of this information to their
particular situation.