

DOW CORNING CORP -- FLUID 510,100 CST -- 9150-01-056-7346

===== Product Identification =====

Product ID:FLUID 510,100 CST

MSDS Date:03/11/1996

FSC:9150

NIIN:01-056-7346

MSDS Number: BGJMK

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900/800-424-930

0(CHEMTREC)

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:MCKEOWN ROBERT CO. INC.

Address:111 CHAMBERS BROOK RD.

Box:City:SOMERVILLE

State:NJ

ZIP:08876

Country:US

Phone:908-218-9000

CAGE:7B953

Company

Name:SDB CONSULTANTS LTD
Address:401 WHITNEY AVE SUITE 120
Box:City:GRETNA
State:LA
ZIP:70056
Country:US
Phone:504-366-9105
CAGE:0PGK2

=====
Composition/Information on Ingredients
=====

Ingred Name:2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASIOXANE
CAS:33204-76-1
RTECS #:GZ4390000
Fraction by Wt: 214F,>101C
Extinguishing Media:USE WATER FOG, FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
NIOSH-APPROVED SELF CONTAINED BR
EATHING APPARATUS. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE SPILL WITH INERT ABORBENT SUCH AS SAND,
CLAY, EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. PRODUCT IS
AN OIL. SPILLS TO SURFACE WATER CAUSING A VISIBLE SHEEN MUST BE
REPORTED TO NATIONAL RESPONSE CENTER. DO NOT FLUSH TO
SEWER/WATERWAYS.
Neutralizing Agent:NOT RELEVANT

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM OXIDANTS. KEEP
CONTAINERS CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF CHILDREN.
Other Precautions:DO NOT GET IN EYES. WASH THOROUGHLY AFTER HANDLING.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY NEEDED.
Ventilation:ADEQUATE
Protective Gloves:WASHING AFTER HANDLING
Eye Protection:SAFETY GLASSES
Other Protective Equ

ipment:EYE WASH STATION AND SAFETY SHOWER.

INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Decomp Temp:Decomp Text:>300F,>149C

Spec Gravity:0.98

Viscosity:100 CST

Appearance and Odor:COLORLESS LIQUID - ODORLESS

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING AGENTS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:MAY PRODUCE SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, SILICON DIOXIDE, FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN COMPLIANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.