

EASTMAN KODAK COMPANY -- 121 6944,RP X-OMAT DEVL/REPL,PT C(PRE 9/85) --
6525-01-061-4366

===== Product Identification =====

Product ID:121 6944,RP X-OMAT DEVL/REPL,PT C(PRE 9/85)

MSDS Date:05/18/1983

FSC:6525

NIIN:01-061-4366

MSDS Number: BGJTG

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5

151

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:ADEHYDE BISULFITE PRODUCT(ALDEHYDE SODIUM SULFITE; % WT

RANGE:20-25%

Fraction by Wt: 22.5%

Ingred Name:GLUTARALDEHYDE

CAS:111-30-8

RTECS #:MA2450000

Fr

action by Wt: 12.5%
OSHA PEL:C 0.2 PPM
ACGIH TLV:C 0.2 PPM; 9192

Ingred Name:WATER (60-70%)
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 65.0%

===== Hazards Identification =====

Effects of Overexposure:INH:VAP MAY IRRIT RESP TRACT;EYES:CAUSES EYE
BURNS;SKIN:PROLNGD/REPEATD CONTACT CAUSES IRRITN/ALLRGY

===== First Aid Measures =====

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES:FLUSH W
LG AMT
S H*2O FOR 15 MIN;SKIN:FLUSH W LG AMTS H*2O;INGEST:RINSE
MOUTH IMMEDIATELY GET MED ATTN IF SKIN/EYES IRRIT OR ALLERGY
REACTION DEVEL OPS,LAUNDR CONTMNTD CLOTHG.

===== Fire Fighting Measures =====

Flash Point:NONE
Extinguishing Media:CO*2, FOAM, DRY CHEM.
Fire Fighting Procedures:WEAR SCBA & PROTCTV CLOTHING TO PREVENT
SKIN/EYE CONTACT.
Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE PRODUCTION OF
HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID INHALATION & SKIN CONTACT.WEAR SUITABLE
PROTECTIVE EQUIPMENT;NEUTRALIZE SM SPILL W/SODIUM
METABISULFITE.FLUSH TO SEWER IN ACID-FREE SEWER IAW FED STATE &
LOCAL REGULATIONS;LG SPILL:DIKE FAR AHEA D & PUMP LIQ TO SALVAGE
TANK FOR DISPOSAL/NEUTRLIZ

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA

. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED AVID CNTCT W/MINRL ACD
Other Precautions:MAY CAUSE SKIN IRRITATION & ALLERGIC SKIN
REACTION;AVOID CONTACT W/SKIN,EYES,& CLOTHING.AVOID BREATHING
VAPOR.USE W/ADEQUATE VENTILATION;READ CAUTION LABEL ON THE
CONTAINER BEFORE USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AN NIOSH-APPRVD FOR ORGANIC VAPOR RESP OR
FORMALDEHYDE VAP

Ventilation:

MECHANICAL(GENERAL) RECOMMENDED,LOCAL EXHAUST IF NEEDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:NON-ALKALINE(ACID)TYPE HAND CLEANR MINIMZ
SKIN ALLRGY ACTION

Supplemental Safety and Health

THIS IS PART C OF A 3 PARTS PRODUCT;ALL 3 PARTS NEEDED TO MAKE 200 GAL
SOLUTION;DURING 1986-87,MFR CHANGED CAT #121-6944 TO NEW CAT
#162-0509.FORMULATION WAS ALSO CHANGED;SEE PNI-B,THIS NSN FOR NEW
PR ODUCT DATA;SEE NSN 6525-01-061-1693 ANDNSN 6
525-01-061-1694 FOR
PARTS A & B DATA RESPECTIVELY.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F/>100C

Vapor Pres:18

Vapor Density:0.8

Spec Gravity:1.16

pH:3.0

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR TO LIGHT BROWN SOLUTION;ALDEHYDE ODOR.

Percent Volatiles by Volume:80%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MINERAL ACIDS

Hazardous Decomposition

Products:SULFUR DIOXIDE,CO,CO*2

===== Disposal Considerations =====

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS. MFR NOTES,NEUTRALIZE W/SOD METABISULFITE.FLUSH TO SEWE R IAW EXISTING REGS FOR DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements
of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.