View NSN Online: https://aerobasegroup.com/nsn/6850-01-072-0979

NALCO CHEMICAL COMANY -- NALCO 39M CORROSION INHIBITOR -- 6850-01-072-0979

Product ID:NALCO 39M CORROSION INHIBITOR

MSDS Date:10/29/1990

FSC:6850

NIIN:01-072-0979

MSDS Number: BGKLK === Responsible Party ===

Company Name: NALCO CHEMICAL COMANY

Address: ONE NALCO CENTER

City:NAPERVILLE

State:IL

ZIP:60566-1024 Country:US

Info Phone Num:312-961-9500

Emergency Phone N

um:312-920-1510(24 HOURS)

Preparer's Name: RICKY A. STACKHOUSE PHD

CAGE:89524

=== Contractor Identification ===

Company Name: CUMMINS ATLANTIC INC Address: 3900 DEEPWATER TERMINAL RD

Box:City:RICHMOND

State:VA

ZIP:23234-2225 Country:US

Phone:804-232-7891

CAGE:1F124

Company Name: ONDEO NALCO COMPANY

Address: ONDEO NALCO CENTER

Box:City:NAPERVILLE

State:IL

ZIP:60563-1198 Country:US

Phone: (630) 305-1000

CAGE:89524

======= Composition/Information on Ingredients ========

Ingred Name:SODIUM

NITRITE (SARA III) CAS:7632-00-0 RTECS #:RA1225000 Fraction by Wt: 1-5%

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: SODIUN MERCAPTOBENZOTHIAZOLE

CAS:2492-26-4

Fraction by Wt: 1-5%

Ingred Name: SODIUM TETRABORATE, ANHYDROUS

CAS:1330-43-4

RTECS #:VZ2240000 Fraction by Wt: 1-5% OSHA PEL:10 MG/M3 ACGIH TLV:1 MG/M3; 9192

=========== Hazards Identification ==========================

LD50 LC50 Mixture:ORAL RAT LD50 3,362 MG/KG

Routes of Entry: Inhalation: UNKNOWN Skin: YES Ingestion

:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: IRRITATION OF EYES, SKIN,

RESPIRATORY OR G,I.TRACT; REDNESS OR BURNS OF EYES ARE POSSIBLE.

INGESTION MAY CAUSE KIDNEY DAMAGE, CAN BE HARMFUL OR FATAL,

REPEATED INGESTION CAN CAUSE CNS EFFECTS.


Explanation of Carcinogenicity: DATA PER MGF MSDS.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, RESPIRATORY IRRITATION, GASTORINTESTINAL IRRITATION, REDNESS OF EYES, BURNING EYES

, KIDNEY DAMAGE, DROP IN BLOOD PRESSURE, RAPID PULSE, HEADACHES, VISUAL DISTURBANCES, TREMORS, DROWSINESS, CONVULSIONS.

Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN, SODIUM NITRITE MAY EFFECT PREGNANT WOMEN, SENSITIVE TO METHAEMOGLOBINAEMIA.

First Aid:EYES AND SKIN: FLUSH WITH LARGE AMOUNT OF WATER FOR ABOUT 15-20 MINUTES. SEEK MEDICAL ATTENTION IMMEDIATELY. INHALATION: REMOVE



======================================	==========
Stability Indicator/Materials to Avoid:YES SULFURIC ACID, PHOSPHORIC ACID, NITRIC ACID, ACID, SULFONIC ACID Stability Condition to Avoid:HIGH TEMPERATURES, S Hazardous Decomposition Products:CARBON MONOX OXIDES OF NITROGEN MAY BE FORMED	PARKS, AND OPEN FLAMES

======= Disposal Considerations ===========

Waste Disposal Meth ods:CONSULT LOCAL AUTHORITIES. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

or:RED LIQUID, ODORLESS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional a dvice to verify and assume responsibility for the suitability of this information to their particular situation.