

EASTMAN KODAK COMPANY -- 121 6910 DACOMATIC DN-3/DR-5 CLEARING BATH --  
6750-01-074-8025

=====  
Product Identification  
=====

Product ID:121 6910 DACOMATIC DN-3/DR-5 CLEARING BATH

MSDS Date:08/18/1982

FSC:6750

NIIN:01-074-8025

MSDS Number: BGKNX

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE ST

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-722-5151

Em

ergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

=====  
Composition/Information on Ingredients  
=====

Ingred Name:POTASSIUM SULFITE

CAS:10117-38-1

RTECS #:WT3530000

Fraction by Wt: 15-20%

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 75-80%

Ingred Name:A

QUEOUS SOLUTION,HAZARD UNKNOWN,UNIDENTIFIED

Fraction by Wt: 0-10%

=====  
Hazards Identification  
=====

Effects of Overexposure:MSDS FM MFR STATES THAT EFFECTS OF OVEREXPOSURE ARE OF LOW HAZARD TO HEALTH.

=====  
First Aid Measures  
=====

First Aid:PER MFR MSDS,"NONE INDICATED.";HOWEVER,FLUSH W/LG AMT OF WATER IN CASE OF SKIN/EYE CONTACT.GET MED ATTN IF NEEDED OR SYMPTOMS OCCUR.

=====  
Fire Fighting Measures  
=====

Flash Point:NONE  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:AS APPROPRIATE FOR SURROUNDING FIRE  
Fire Fighting Procedures:NONE

=====  
Accidental Release Measures  
=====

Spill Release Procedures:FLUSH TO ACID-FREE SEWER W/LGE AMTS WATER. FED,STATE & LOCAL REGS TAKE PRECEDENCE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE  
Other Precautions:AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.REMOVE & WASH CONTAMINATED CLOTHING.WASH HANDS AFTER USE.APPROX PH OF PRODUCT:8.4

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NONE REQD IN NORMAL CONDITIONS.  
Ventilation:MECHANICAL(GEN) IF NEEDED  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:AS NEEDED BY LOCAL AUTHORITIES.  
Supplemental Safety and Health  
SOLN NR 3969. THIS NSN IS REPLACEMENT FOR 6750-00-162-2086.

=====

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F/>100C

Vapor Pres:17

Vapor Density:0.6

Spec Gravity:1.21-1.23

pH:8.4

Solubility in Water:COMPLETE

Appearance and Odor:COLORLESS-ODORLESS SOLUTION.

Percent Volatiles by Volume:75%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

PER MFR MSDS:AVOID MINERAL ACID CONTACT.

Hazardous Decomposition Products:PER MFR SULFUR DIOXIDE

=====

= Disposal Considerations =====

Waste Disposal Methods:SEE SPILL/RELEASE PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.