View NSN Online: https://aerobasegroup.kr/nsn/6850-01-085-4717

NALCO CHEMICAL COMPANY -- NALCOOL 2000 COOLING TREATMENT -- 6850-01-085-4717

Product ID:NALCOOL 2000 COOLING TREATMENT MSDS Date:05/13/1987 FSC:6850 NIIN:01-085-4717 MSDS Number: BGLCC === Responsible Party === Company Name:NALCO CHEMICAL COMPANY Address: ONE NALCO CENTER **Box:NAPERV** City:NAPERVILLE State:IL ZIP:60566-1024 Country:US Info Phone Num:312-961-9500 Eme rgency Phone Num:312-920-1510 (24 HOURS) CAGE:89524 === Contractor Identification === Company Name: CHEMICAL SPECIALISTS AND DEVELOPMENT INC Address:2210 HACKBERRY LN Box:687 City:CONROE State:TX ZIP:77305 Country:US Phone:409-756-1065 CAGE:4N760 Company Name: ONDEO NALCO COMPANY Address:ONDEO NALCO CENTER Box:City:NAPERVILLE State:IL ZIP:60563-1198 Country:US Phone: (630) 305-1000 CAGE:89524

Ingred Name:SODIUM NITRITE (SARA II

I) CAS:7632-00-0 RTECS #:RA1225000 Fraction by Wt: 1-10% EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:SODIUM MERCAPTOBENZOTHIAZOLE CAS:2492-26-4 RTECS #:DL6825000 Fraction by Wt: 1-10%

Ingred Name:SODIUM TETRABORATE, DECAHYDRATE CAS:1303-96-4 RTECS #:VZ2275000 Fraction by Wt: 1-10% OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3; 9192

Ingred Name:NITRATES (TYPE NOT SPECIFIED)

Ingred Name: SILICATES (TYPE NOT SPECIFIED)

LD50 LC5

0 Mixture:ORAL RAT: 3,362 MG/KG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:ACUTE: IRRITATION OF EYES, SKIN, RESPIRATORY AND G. I. TRACT. CHRONIC: SODIUM NITRITE: ANIMAL STUDY HAS SHOWN REPRODUCTIVE EFFECTS IN THE OFFSPRING.
Effects of Overexposure:EYES AND SKIN: IRRITATION. INGESTION: KIDNEY DAMAGE, CAN BE HARMFUL OR FATAL. NANO*2: CAUSES FORMATION OF METHAEMOGLOBINAEMIA LEADING TO CYANOSIS AND POSSIBLE DEATH IF INGESTED. REPE
ATED INGEST: BLO OD PRESSURE DROP, RAPID PULSE, CNS EFFECTS; HEADACHE, TREMORS, DROWSINESS, & CONVULSIONS.
Medical Cond Aggravated by Exposure:SODIUM NITRITE: PREGNANT WOMEN ARE PARTICULARLY SENSITIVE TO METHAEMOGLOVINAEMIA.

First Aid:SKIN:WASH W.SOAP & H*20 EYES:FLUSH W. H*20. INGESTED:GIVE 2 GLASSES H*20; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET

. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

Flash Point:NONE Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.

Unusual Fire/Explosion Hazard: MAY EVOLVE OXIDES OF NITROGEN UNDER FIRE.

Spill Release Procedures:WEAR PROTECTIVE

EQUIP.PROVIDE VENTILATION;SM

SPILLS(LIQ):CONTAIN W/ABSRBNT MATL,SUCH AS DUST,CLAY,SOIL OR OTHER INERT ABSORBENT.SHOVEL RECLAIMD WASTE INTO RECVRY DRUM FOR DISPOSAL;LG SPILLS:DIKE TO PR EVENT FURTHR MOVMNT & RECLAIM INTO SALVAGE TANKS.

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Pre

cautions:WARNING!HARMFUL IF SWALLOWED.DO NOT TAKE INTRNLLY.AVOID CONTACT W/EYE,&PROLNGD/REPEATD SKIN CONTCT;EMPTY CONTNR MAY CONTAIN RESIDUAL PROD;WASH CONTMNTD CLOTHG/AREA.DISCARD CONTMNTD SHOES/CLOTH

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:GENERAL VENTILATION IS RECOMMENDED Protective Gloves:IMPERMEABLE Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:FULL WORK CLOTHING TO PREVENT RE PEATED OR

PROLONGED CONTACT.

Supplemental Safety and Health

ATED 24JAN,86 WHICH CONFORMS TO OSHA HAZ COMMUNICATION STDS; PH OF SOLN RANGES:11.6-11.8;ALSO CONTAINS WATER; PER MSDS,NO SPECIFIC ANTIDOTE IS KNOWN,PHYSICIAN'S JUDGMNT IS OK.

HCC:N1 Boiling Pt:B.P. Text:>212F,100C Vapor Pres:17 Spec Gravity:1.13 Solubility in Water:COMPLETE Appearance and Odor:RED LIQUID;NO ODOR

======= Stability and Reactivi

Stability Indicator/Materials to Avoid:YES STRONG ACIDS,AMINES. Stability Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:IN THE EVENT OF COMBUSTION: CO, CO*2, OXIDES OF NITROGEN MAY BE FORMED.

Waste Disposal Methods:PER MFR,IF THIS PRODUCT BECOMES A WASTE,IT DOES NOT MEET THE CRITERIA OF HAZARDOUS WASTE AS DEFINED UNDER RCRA; AS A NON-HAZARDOUS LIQ WASTE,IT SHOULD BE SOLID IFD BEFORE DISPOSAL TO A SANITARY LANDFIL L. CAN BE DEEP-WELL INJECTED IAW FED/ST/LOC REGS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.