View NSN Online: https://aerobasegroup.kr/nsn/9160-01-086-0145

KINDT COLLINS CO THE -- WAX 13 (SHEET) -- 9160-01-086-0145

============ Product Identification ==============

Product ID:WAX 13 (SHEET) MSDS Date:11/01/1985

FSC:9160

NIIN:01-086-0145

MSDS Number: BGLCZ === Responsible Party ===

Company Name: KINDT COLLINS CO THE

Address:12651 ELMWOOD AVE

City:CLEVELAND

State:OH

ZIP:44111-5911

Info Phone Num:216-252-4122

Emergency Phone Num:216-252-4122

Preparer's Name: PAUL A. GUIN

Ν

CAGE:33629

=== Contractor Identification ===

Company Name: KINDT COLLINS CO Address: 12651 ELMWOOD AVENUE

Box:City:CLEVELAND

State:OH

ZIP:44111-5911

Country:US

Phone:216-252-4122/CHEMTREC 800-424-9300

CAGE:33629

======= Composition/Information on Ingredients ========

Ingred Name:PRECISE COMPOSITION IS PROPRIETARY INFORMATION AVAILABLE TO A PHYSICIAN IN EVENT OF A MEDICAL EMERGENCY.

RTECS #:9999999ZZ Fraction by Wt: >99%

ACGIH TLV:2MG/CUM (MFR)

Ingred Name: THIS PRODUCT IS NOT

HAZARDOUS AS DEFINED BY THE OSHA HAZARD COMMUNICATION STANDARD, CFR TITLE 29 1910.1200. RTECS #:9999999ZZ ============== Hazards Identification ======================= LD50 LC50 Mixture: N/K TLV/TWA FOR PARAFFIN WAX FUME=2MG/M3 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MOLTEN WAX FUMES MAY BE SLIGHTLY IRRITATING TO EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE **BURNS ON CONTACT** WITH SKIN. Explanation of Carcinogenicity: NOT LISTED Effects of Overexposure: MOLTEN WAX FUMES MAY CAUSE SLIGHT IRRITATION TO EYES AND RESPIRATORY TRACT. MOLTEN WAX WILL CAUSE BURNS ON CONTACT WITH SKIN. Medical Cond Aggravated by Exposure: NONE KNOWN First Aid: FOR HOT WAX ON SKIN, COOL WITH WATER. APPLY ICE WATER OR PACKS TO BURNED AREA IF LESS THAN 10% OF THE BODY. DO NOT REMOVE WAX. GET MEDICAL ATTENTION. FO R EYE CONTACT, FLUSH WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. FOR INGESTION, CONSULT MEDICAL PERSONNEL. INHALATION: REMOVE VICTIM TO FRESH AIR. GET MEDICAL ATTENTION. Flash Point: NOT SPECIFIED Extinguishing Media: USE WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE A DIRECT STREAM OF WATER. COOL FIRE-EXPOSED CONTAINERS WITH WATER. WITHOUT PROPER PROTECTIVE EQUIPMENT INCLUDING A NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:PRODUCT WILL FLOAT AND CAN BE REIGNITED ON SURFACE OF WATER. WAX MAY BURN ALTHOUGH NOT READILY IGNITABLE 

Fire Fighting Procedures: DO NOT ENTER CONFINED FIRE SPACE

Spill Release Procedures: MAY BURN ALTHOUGH NOT READILY IGNITABLE. USE CAUTION WHEN CLEANING UP LARGE MOLTEN SPILLS. LARGE MOLTEN SPILL: SHUT OFF SOURCE OF LEAK IF SAFE TO DO S

TO COOL & REMOVE AS A SOLID. SMALL AMOUNTS SHOULD BE ALLOWEDTO COOL. Neutralizing Agent:NONE ============= Handling and Storage ========================== Handling and Storage Precautions: AVOID CONTACT WITH HOT MATERIAL. MINIMIZE BREATHING OF VAPORS, FUMES OR MIST. Other Precautions:NONE ====== Exposure Controls/Personal Protection ======== Respiratory Protection: USE A NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. USE EIT HER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR PARTICULATES. MINIMIZE BREATHING OF VAPORS, FUMES OR MIST. Ventilation: NOT NORMALLY REQUIRED. Protective Gloves: AS APPROPRIATE TO PROTECT AGAINST HOTWAX Eye Protection: SAFETY GLASSES OR GOGGLES Other Protective Equipment: PROTECTIVE CLOTHING TO PROTECT SKIN AGAINST HOT MATERIAL. Work Hygienic Practices: NOT SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE ======== Physical/Chemical Prope rties ======== HCC:N1 Boiling Pt:B.P. Text:315C Vapor Pres:NIL Spec Gravity:0.930 Solubility in Water: NEGLIGIBLE Appearance and Odor:BLUE/GREEN SOLID WAX WITH CHARACTERISTIC ODOR Percent Volatiles by Volume:0 Corrosion Rate:0 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS MAY BE FORMED

O. DIKE & CONTAIN. ALLOW WAX

## **DURING COMBUSTION.**

======= Disposal Considerations ===========

Waste Disposal Methods:PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability

for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.