

TEXACO INC. * -- 01833 PS FLUID 4634 -- 9150-01-087-2234

===== Product Identification =====

Product ID:01833 PS FLUID 4634

MSDS Date:10/05/1989

FSC:9150

NIIN:01-087-2234

MSDS Number: BGLFP

=== Responsible Party ===

Company Name:TEXACO INC. *

Box:509 *

City:BEACON *

State:NY

ZIP:12508

Country:US

Info Phone Num:914-831-3400 X204 *

Emergency Phone Num:914-831-3400 X204 *

Preparer's Name:R.T. RICHARD

S *

CAGE:MO877

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

Company Name:TEXACO INC. *

Box:509 *

City:BEACON *

State:NY

ZIP:12508

Country:US

Phone:914-831-3400 X204 *

CAGE:MO877

===== Composition/Information on Ingredients =====

Ingred Name:SOL

VENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES.

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 95-100%

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:ZINC DITHIOPHOSPHATES

Fraction by Wt: 20000MG/KG *

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:EYES:MINIMAL

IRRITATION;SKIN:SLIGHTLY IRRITATING WITH POSSIBLE REDNESS,EDEMA OR DRYING OF THE SKIN;INHALATION: BELIE

VED TO BE MINIMALLY IRRITATING

IF NOT IN EXCESS OF PERMISSIBLE CONCENTRATIONS. CHRONIC: NOT DETERMINED. *

Explanation of Carcinogenicity:N/R *

Effects of Overexposure:EYES: MINIMAL IRRITATION: SKIN: SLIGHTLY

IRRITATING WITH POSSIBLE REDNESS, EDEMA OR DRYING OF THE SKIN.

INHALATION: MINIMALLY IRRITATING. *

Medical Cond Aggravated by Exposure:NONE NOTED. *

=====
===== First Aid Measures =====

First Aid:INHALATION:REMOVE VICTIM TO FRESH AIR.EYES: F

LUSH WITH PLENTY

OF WATER. SKIN: WASH WITH SOAP AND WATER. INGESTION: TREAT SYMPTOMATICALLY. PRACTICALLY NON-TOXIC. *

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:350F,176.6C *

Lower Limits:UNKNOWN *

Upper Limits:UNKNOWN *

Extinguishing Media:WATER SPRAY,DRY CHEM,FOAM, CARBON DIOXIDE. *

Fire Fighting Procedures:USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF

A LEAK OR SPILL HAS NOT IGNITED, USE WATER SPRAY TO DISPERSE THE

VAPORS AND TO PROVIDE PROTECTION TO STOP A LEAK.
Unusual Fire/Explosion Hazard:HEAT OF FIRE MAY FORM HAZARDOUS
DECOMPOSITION PRODUCTS. *

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB
ON INERT MATERIAL. PLACE IN CLOSED DISPOSAL DRUM. *
Neutralizing Agent:NOT APPLICABLE *

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLI
NG TEMPERATURES
SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES
SHOULD BE MINIMIZED. AVOID WATER CONTAMINATION.
Other Precautions:NONE *

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION. *
Ventilation:GENERAL/MECHANICAL TO MAINTAIN TLV/PEL BELOW THE LIMITS. *
Protective Gloves:NITRILE *
Eye Protection:GOGGLES/FACE SHIELD *
Other Protective Equipment:PROTECTIVE CLOTHING,EYE-WASH. *
Work Hygi
enic Practices:AVOID CONTACT WITH SKIN & EYES;DO NOT BREATHE
VAPORS/MIST;WASH THOROUGHLY AFTER EACH USE.DO NOT USE CONTAMINATED
CLOTHES
Supplemental Safety and Health
LAUNDERING OR DRY CLEANING SOILED WORK CLOTHING AT LEAST WEEKLY. *

===== Physical/Chemical Properties =====

HCC:V6
NRC/State Lic Num:N/R *
Boiling Pt:B.P. Text:UNKNOWN *
Melt/Freeze Pt:M.P/F.P Text:UNKNOWN *
Vapor Pres:UNKNOWN *
Vapor Density:UNKNOWN *
Spec Gravity:0.879 *
Viscosity:51.5 CST@10

4F

Evaporation Rate & Reference:UNKNOWN *

Solubility in Water:SLIGHT *

Appearance and Odor:CLEAR ORANGE LIQUID. PETRO-LIKE ODOR. OILY. *

Percent Volatiles by Volume:N/K *

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS *

Stability Condition to Avoid:AVOID HIGH HEAT, FLAMES, IGNITION SOURCES.

*

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
ALDEHYDES AND KETONES, COMBUSTION PRODUCTS OF
NITROGEN AND SULFUR. *

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT YOUR LOCAL ENVIRONMENTAL OFFICER.
DISPOSE BASED ON ALL LOCAL, STATE, AND FEDERAL REGULATIONS.
CONTAMINATED PRODUCT MAY RENDER THE RESULTING MATERIAL HAZARDOUS.
PRODUCT IS NOT A RCRA HAZARDOUS WASTE IF DISCARDED IN ITS
PURCHASED FORM. *

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by element

s of the Department

of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.