

M & T CHEMICALS IN,FURANE PRODUCTS DIV. -- URALANE 5753 B -- 8030-01-097-9102

=====
Product Identification
=====

Product ID:URALANE 5753 B

MSDS Date:01/01/1987

FSC:8030

NIIN:01-097-9102

MSDS Number: BGLRM

=== Responsible Party ===

Company Name:M & T CHEMICALS IN,FURANE PRODUCTS DIV.

Address:5121 SAN FERNANDO ROAD WEST

City:LOS ANGELES

State:CA

ZIP:90039

Info Phone Num:818-247-6210/215-592-3000

Em

ergency Phone Num:818-247-6210/215-592-3000

CAGE:DO437

=== Contractor Identification ===

Company Name:CIBA SPECIALTY CHEMICALS CORP, N. A. / PERFORMANCE
POLYMERS

Address:5121 SAN FERNANDO RD WEST

Box:City:LOS ANGELES

State:CA

ZIP:90039-1011

Country:US

Phone:818-247-6210/800-873-1138

CAGE:99384

Company Name:M & T CHEMICALS

Address:P.O.BOX 1104

Box:1104

City:RAHWAY

State:NJ

ZIP:07065

Phone:215-587-7695

CAGE:DO437

=====
Composition/Information on Ingredients
=====

Ingred Nam

e:HYDROXY TERMINATED POLYOLS

Fraction by Wt: 100%

Other REC Limits:N/K

OSHA PEL:N/K

ACGIH TLV:N/K

===== Hazards Identification =====

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Explanation of Carcinogenicity:N/A

Effects of Overexposure:INHAL:VAPORS/MSTS CAN BE HARMFUL IF
INHALED.EYE:MODERATELY IRRITATING TO EYES.SKIN:SLIGHTLY IRRITATING
TO SKIN.INGESTION:POSSIBLY HARMFUL IF SWALLOWED.DELAYED
EFFECTS:PROLONGED/REP
EATED EXPOSURE CAN CAUSE ALLERGIC REAC.SEE
OTHER PRECAUTIONS.

Medical Cond Aggravated by Exposure:N/K

===== First Aid Measures =====

First Aid:EYES:FLUSH EYES IMMED W/LGE AMTS OF WTR FOR AT LEAST 15
MIN.GET PROMPT MEDICAL ATTN.SKIN:WASH THOROUGHLY W/SOAP AND
WATER.REMOVE AND WASH CLOTHING BEFORE REUSE.INGESTION:IF SWALLOWED
DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK.SEE A PHYSICIAN.NEVER
GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PES
ON.INHAL:RMV TO FRESH
AIR.SUPPORT BREATHING(GIVE O*2/ARTIFICIAL RESPIRATION).

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:449.6F/232C

Lower Limits:N/K

Upper Limits:N/K

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS
(PRESSURE-DEMAND,MSHA/NIOSH-APPROVED OR EQUIVALENT) AND FULL
PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE

=====

=== Accidental Release Measures =====

Spill Release Procedures:DIKE & ABSORB SPILL ON INERT
MATL(SAND;EARTH,ETC).TRANSFER TO CONTAINERS FOR DISPOSAL.RMV
CONTAMINATED CLOTHING & WASH AFFECTED SKIN AREAS WITH SOAP AND
WATER. WASH CLOTHING BEFORE REUSE.

Neutralizing Agent:N/K

===== Handling and Storage =====

Handling and Storage Precautions:AVOID ALL SKN CONT.MAY CAUSE ALLERGIC
REAC.WASH EXPOSED AREAS THORO W/SOAP & WTR AFTER HAN
DLNG THS

MATL.STOR INDOORS IN COOL,DRY AREA W/ADEQU(SUP DAT)

Other Precautions:NOTE TO PHYSICIAN:ALLERGIC DERMATITIS/RESPIRATORY
RESPONSE IN SUSCEPTIBLE INDIVIDUALS MAY BE DELAYED.IT MAY APPEAR
AFTER WEEKS OR EVEN MONTHS OR FREQUENT & PROLONGED CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENTILATION IS
MAINTAINED.WEAR RESPIRATOR (MSHA/NIOSH-APPROVED) SUITABLE FOR
CONCENTRATIONS OF AIR CONTAMINANT
ENCOUNTERED.

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:IMPERVIOUS (PLASTIC)

Eye Protection:CHEM WORKERS GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYEWASH FACILITY.

Work Hygienic Practices:N/K

Supplemental Safety and Health

PCT VOLT VOL:N.PH:N.RT OF ENTRY:HDLG/STOR PREC;VENT. KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:N/K

Melt/Freeze Pt:M.P/F.P Text:N/K

Decomp Temp:Decomp Text:N/K

Vapor Pres:N/K

Vapor De

nsity:>1 AIR=1

Spec Gravity:1.05

pH:N/K-FP

Evaporation Rate & Reference: