View NSN Online: https://aerobasegroup.kr/nsn/6140-01-099-0252

SAFT AMERICA INC. POWER SOURCES DIV. -- BATTERY STORAGE -- 6140-01-099-0252

Product ID:BATTERY STORAGE

MSDS Date:10/21/1986

FSC:6140

NIIN:01-099-0252

MSDS Number: BGLSJ === Responsible Party ===

Company Name: SAFT AMERICA INC. POWER SOURCES DIV.

Address:711 INDUSTRIAL BLVD

Box:1886

City: VALDOSTA

State:GA ZIP:31603 Country:US

Info Phone Num:912-247-2331

Emergency P

hone Num:912-247-2331

Preparer's Name: WILLIAM O. WILDER, JR.

CAGE:09052

=== Contractor Identification ===

Company Name: SAFT AMERICA INC.

Address:711 INDUSTRIAL BLVD

Box:1886

City:VALDOSTA

State:GA ZIP:31602 Country:US

Phone:912-247-2331

CAGE:09052

======= Composition/Information on Ingredients ========

Ingred Name:POTASSIUM HYDROXIDE (SARA III)

CAS:1310-58-3

RTECS #:TT2100000 Fraction by Wt: 6.5% OSHA PEL:C, 2 MG/M3 ACGIH TLV:C 2 MG/M3; 9192

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000

LBS Ingred Name: CADMIUM (SARA III) CAS:7440-43-9 RTECS #:EU9800000 Fraction by Wt: 14.63% OSHA PEL:SEE 1910.1027 ACGIH TLV:0.01 MG/M3 DUST;9394 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS Ingred Name: NICKEL (SARA III) CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 26.07% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 52.8% ============== Hazards Identification ======================= Routes of Entry: Inhalation:YES Skin:YES I ngestion:YES Health Hazards Acute and Chronic: ACUTE: 1.KOH: SKIN BURNS. 2.NI,NI(OH)*2,CD,CD(OH)*2,POSSIBLE CONTACT DERMATITIS. CHRONIC: 1.NI,NI(OH)*2,CD,CD(OH)*2,SUSPECTED CARCINOGEN 2.CD,CD(OH)*,RENAL FAILURE, RESPIRATORY PROBLEMS. Explanation of Carcinogenicity:CD:PROBABLE CARCINOGEN W.SUFFICIENT DATA IN ANIMAL, INAD. IN HUMANS; NI: PROBABLE CARCINOGEN W. LIMITED DATA IN HUMANS. Effects of Overexposure: CONTACT WITH SKIN & E YE CAUSE BURNS. SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: ANY MEDICAL CONDITION AFFECTING

SAME ORGANS AS THOSE AFFECTED BY OVEREXPOSURE.

First Aid:EYES:WASH WITH LARGE VOLUMES OF WATER, SEE PHYSICIAN; SKIN:WASH WITH LARGE VOLUMES OF WATER; INHALATION: REMOVE TO FRESH AIR, SEE PHYSICIAN: INGESTION: DRINK CITRIC JUICES OR LARGE VOLUME OF WATER.SEE PHYSIC IAN IMMEDIATELY.

======= Fire F

ighting Measures ===========
Extinguishing Media:NONE SPECIFIED.AS REQUIRED FOR SURROUNDING MATERIALS
Fire Fighting Procedures:WEAR CHEMICAL PROTECTIVE SUIT WITH SELF CONTD BRTHG APP.
Unusual Fire/Explosion Hazard:CDO FUMES,VAPOR,DUST. CONTAINERS MAY RUPTURE ON HEAT OF FIRE. TOXIC GAS MAY ESCAPE DURING FIRE.
======== Accidental Release Measures =========
Spill Release Procedures:WEAR CHEMICAL PROTECTIVE SUIT & SCBA. NEUTRALIZE SPILL WITH ACETIC ACID SOLUTION. ABSORB IN INERT ABSORBENT. SHOVEL INTO SUITABLE DISPOSAL CONTAINER. FLUSH RESIDUE WITH COPIOUS AMOUNTS OF WATER. Neutralizing Agent:5% ACETIC ACID
=========== Handling and Storage ============
Handling and Storage Precautions:DO NOT BREAK OPEN BATTERY CASE. ELECTROLYTE IN BATTERY IS CORROSIVE. CARE SHOULD BE TAKEN TO AVOID CONTACT
Other Precautions:DO NOT BREAK OPEN BATTERY CASE.
====== Exposure Controls/Personal Protection =======
Respiratory Protection:NONE NORMALLY NEEDED. SCBA DURING FIRE OR SPILL. Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT. Protective Gloves:RUBBER Eye Protection:GOGGLES Other Protective Equipment:RUBBER OR PLASTIC GARMENTS. Work Hygienic Practices:STANDARD PRACTICE Supplemental Safety and Health MSDS INFORMATION APPLIES TO ELECTROLYTE INSIDE BATTERY.
======== Physical/Chemical Properties =========
HCC:B1 Spec Gravity:1.28 Solubility in Water:COMPLETE Appearance

hh

and Odor:CLEAR,ODORLESS LIQUID-IN BATTERY
======== Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS,OXIDIZERS Stability Condition to Avoid:NONE Hazardous Decomposition Products:SUBLIMES AS CDO AT 2800F
======= Disposal Considerations ==========
Waste Disposal Methods:SEND TO A CERTIFIED WASTE DISPOSAL SITE. DISPOSE OF IAW ALL APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS. *DO NOT

Disclai

INCINERATE*

mer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.