View NSN Online: https://aerobasegroup.kr/nsn/6810-01-099-3435

Product ID:TETRACHLOROETHYLENE MSDS Date:05/31/1989 FSC:6810 NIIN:01-099-3435 MSDS Number: BGLSS === Responsible Party === Company Name: ASHLAND CHEMICAL CO. DIVISION OF ASHLAND OIL INC. Box:2219 City:COLUMBUS State:OH ZIP:43216 Country:US Info Phone Num:614-790-3333 OR 80 0-ASH-LAND Emergency Phone Num:606-324-1133 OR 800-274-5263 CAGE:5A188 === Contractor Identification === Company Name: ASHLAND CHEMICAL CO Address:5200 PAUL BLAZEL MEMORIAL PARKWAY Box:City:DUBLIN State:OH ZIP:43017 Country:US Phone:614-889-4505 CAGE:5A188 Ingred Name: PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III) * CAS:127-18-4 RTECS #:KX3850000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:25 PPM * ACGIH

TLV:50 PPM/200 STEL;9192 EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: ACUTE-EYE: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED/REPEATED CONTACT CAN CAUSE MODERATE IRRITATION, DEFATTING, DERMATITIS. EXCESSIVE INHALATION: CAN CAUSE IRRITATION, CNS E FFECT S INCLUDING DIZZINESS, HEADACHE, FATIGUE, UNCONSCIOUSNESS/DEATH. INGESTION: CAN CAUSE GI IRRITATION, VOMITING, DIARRHEA. Explanation of Carcinogenicity: IDENTIFIED AS A CARCINOGEN BY IARC, NTP (PER MSDS). Effects of Overexposure: CHRONIC OVEREXPOSURE: MAY CAUSE LIVER ABNORMALITIES, KIDNEY DAMAGE, SPLEEN DAMAGE, BRAIN DAMAGE. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:GET MEDICAL ATTENT ION IF NEEDED.EYE:FLUSH W/ WATER 15 MIN, HOLD LIDS OPEN.SKIN: WASH WITH SOAP & WATER. INHALED: REMOVE TO FRESH AIR.GIVE CPR/OXYGEN IF NECESSARY.KEEP PERSON WARM & QUIET.DON'T GIVE STIMUL ANTS.EPINEPHRINE/EPHEDRINE MAY ADVERSELY AFFECT THE HEART WITH FATAL RESULTS. IF SWALLOWED: DON'T INDUCE VOMITING.IF CONSCIOUS, IMMEDIATELY DRINK TWO GLASSES OF WATER. Flash Point:NOT RELEVANT Extinguishing Media:NON FLAMMABLE.US

E WATER FOG, CARBON DIOXIDE/DRY

CHEMICAL FOR SURROUNDING FIRE.USE WATER TO COOL FIRE-EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WHEN FIGHTING FIRES.

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE EXPLOSIVELY.

====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS.ABSORB SMALL SPILLS ON PAPER,VERMICULITE,.STOP LEAK FOR LARGE SPILLS.DIKE AREA.PUMP LIQUID TO SALVAGE TANK.TAKE UP THE REST BY SAND/CLAY AND SHOVEL TO A CONTAINER.

Neutralizing Agent:NONE GIVEN

Handling and Storage Precautions: STORE CONTAINERS TIGHTLY CLOSED IN A COOL, WELL VENTILATED PLACE, AWAY FROM HEAT & FLAMES. EMPTY CONTAINER MAY CONTAIN HAZARDOU S RESIDUES. Other Precautions: OBSERVE ALL PRECAUTIONS GIVEN IN THE DATA SHEET. Respiratory Protection: IF WORKPLACE EXPOSURE LIMIT OF PRODUCT EXCEEDS THE TLV, A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR IS ADVISED. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION. Protective Gloves: POLYVINYL ALCOHOL Eve Protection: CHEMICAL SPLASH GOGGLES Other Protective Equipment: EYEWASH STATION AND SAFETY SHOWER. IM PERVIOUS CLOTHING AND BOOTS Work Hygienic Practices: DO NOT INHALE VAPORS. WASH HANDS BEFORE EATING AND DRINKING. Supplemental Safety and Health NONE HCC:T4

Boiling Pt:B.P. Text:250F,121C Vapor Pres:13 Vapor Density:6.7 Spec Gravity:1.618 - 1.622 Evaporation Rate & amp; Reference:2.80 (N-BUTYL ACETATE=1) Appearance and Odor:NONE SPECIFIED BY MANUFACTURER. Percent Volatiles by Volume:100

======== Stability and Rea

Stability Indicator/Materials to Avoid:YES NOT RELEVANT Stability Condition to Avoid:HIGH TEMPERATURES AND FLAMES Hazardous Decomposition Products:MAY FORM TOXIC MATERIALS: CARBON DIOXIDE AND CARBON MONOXIDE, HYDROGEN CHLORIDE, PHOSGENE, VARIOUS HYDROCARBONS, ETC..

Waste Disposal Methods:CONSULT FEDERAL, STATE AND LOCAL AUTHORITIES FOR PROPER DISPOSAL PROCEDURES.

Disclaimer (provi

ded with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.