View NSN Online: https://aerobasegroup.kr/nsn/6810-01-118-2612

Product ID:DCA-308,0.1N HCL ACID (SA55 100) MSDS Date:04/14/1987 FSC:6810 NIIN:01-118-2612 **MSDS Number: BGMNY** === Responsible Party === **Company Name: THE GERIN CORPORATION** Address:1109 SEVENTH AVE City:NEPTUNE State:NJ ZIP:07753-5143 Country:US Info Phone Num:201-774-3256 **Emergency Phone** Num:201-774-3256 Preparer's Name:ROBERT N.GERIN CAGE:KO588 === Contractor Identification === Company Name: GERIN CORP Address:1109 SEVENTH AVE Box:City:NEPTUNE State:NJ ZIP:07753-5143 Country:US Phone:908-774-3256 CAGE:96009 **Company Name: THE GERIN CORPORATION** Address:1109 SEVENTH AVE City:NEPTUNE State:NJ ZIP:07753-5143 Country:US Phone:201-774-3256 CAGE:KO588

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III) CAS:7

647-01-0 RTECS #:MW4025000 Fraction by Wt: 00.36% **OSHA PEL:C 5 PPM** ACGIH TLV:C 5 PPM; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:WATER CAS:7732-18-5 RTECS #: ZC0110000 Fraction by Wt: 99.64% Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:CORROSIVE TO ALL BODY TISSUES; THIS SOLUTION IS WEAK, MAY CAUSE SKIN AN D EYES IRRITATION.NO OTHER DATA IS GIVEN Explanation of Carcinogenicity:DATA PER MSDS Effects of Overexposure: SEE HEALTH HAZARS DATA Medical Cond Aggravated by Exposure: PERSONS WITH A HISTORY OF AILMENTS OR WITH A PRE-EXISTING DISEASE INVOLVING THE EYES, SKIN, OR RESPIRATORY TRACT MAY BE AT INCREASED RISK FROM EXPOSURE. First Aid:SKIN/EYES:FLUSH WITH WATER FOR AT LEAST 15 MIN.FOR EYES-CONTACT A PHYSICIAN. === Flash Point:NONE Extinguishing Media:NOT FLAMMABLE, USE ANY MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures: FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:CONTACT WITH COMMON METALS MAY EVOLVE EXPLOSIVE HYDROGEN GAS.

======= Accidental Release Measures ======

Spill Release Procedures:SMALL SPILL: FLUSH WITH WATER AND NEUTRALIZE WITH ALKALINE MATERIAL. SEWER NEUTRALIZED MATERIAL WITH EXCESS WATER. LARGE SPILL: EVACUATE AND VENTILATE AREA. IF POSSIBLE, STOP LEAK. DIKE TO RETAIN RUN OFF. NEUTRALIZE & PICK UP WITH ABSORBENT MATERIAL.

Neutralizing Agent: SODA ASH, LIME OR OTHER SUITABLE ALKALINE MATERIAL.

Handling and Storage Precautions:STORE IN A COOL, DR
Y, WELL VENTILATED
AREA. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT
CONTAINERS FROM PHYSICAL DAMAGE & DIRECT SUNLIGHT.
Other Precautions:DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID
PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES.
USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING .

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR FOR ACID VAPORS/MIST IF A BOVE TLV. Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN 1.0 (ETHER=1) Solubility in Water:COMPLETE Appearance and Odor:COLORLESS LIQUID Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS AND STRONG ALKALIES Stability Condition to Avoid:KEEP AT ROOM TEMPERATURE Hazardous Decomposition Products:NOT SPECIFIED

## Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou Id seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.