View NSN Online: https://aerobasegroup.kr/nsn/6850-01-121-0945

Product ID:ZL-30A ZYGLO PENETRANT (PRE 10/85) MSDS Date:10/13/1983 FSC:6850 NIIN:01-121-0945 **MSDS Number: BGMTF** === Responsible Party === **Company Name: MAGNAFLUX CORPORATION** Address:7300 WEST LAWRENCE AVE City:CHICAGO State:IL ZIP:60656-3504 Country:US Info Phone Num:312-867-8000 Emerg ency Phone Num:312-867-8000 Preparer's Name: BRUCE C. GRAHAM CAGE:37676 === Contractor Identification === Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV Address:3624 WEST LAKE AVENUE Box:City:GLENVIEW State:IL ZIP:60025 Country:US Phone:847-657-5300/ CAGE:37676 

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS:8030-30-6 RTECS #:SE7555000 Fraction by Wt: 35.0% OSHA PEL:100 PPM

Ingred Name:FLUORESCENT DYE Fraction by Wt

: 4%

Effects of Overexposure:DIZZ, DERM, SKIN & EYE IRRIT.

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP&WATER. RMV CONTAM CLTHG&SHOES. INGEST:INDUCE VOMIT. RPT UNTIL VOMIT IS C LEAR. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Flash Point:200F, 93C PMCC Extinguishing Media:CO\*2, FOAM Fire Fighting Procedures:NONE SPECIFIED BY MFG. WEAR SCBA & PROTECT CLTHG.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MFG.

Spill Release Procedures:SOAK UP W SWEEPING COMPOUND/ABSORBING MATL & SWEEP UP. CAN BE FLUSHED AWAY W WATER SPRAY.LARGE SPILL:STOP SPILL AT SOURCE.ELIM ALL IGN SOURCES.DIKE SPILL AREA.PU MP LIQ TO SALVAGE TANK.ABSORB REMAINING LIQ ON ABSORBENT MATL & TRANSFER TO CONTAINERS.

Handling and Storage Precautions:STORE AWAY FROM HEAT IN DRY LOC.KEEP CONTAINERS CLOSED.ALWAYS WEAR PROTECTIVE EQUIPMENTS DURING HANDLING TO AVOID PROLONGED/REPEATED SKIN CONTACT Other Precautions:EMPTY CONTR MAY BE HAZ.OBSERVE ALL PRECAUTIONS GIVEN IN THIS DATA SHEET.USE SPRAY PAINT BOOTH FOR SPRAYING MATL ON OBJEC

TS.

Respiratory Protection:SELF-CNTND.BRTHG. APP JOINTLY APPROVED BY NIOSH/MESA Ventilation:LOCAL EXHAUST REQUIRED. Protective Gloves:RUBBER/NEOPRENE Eye Protection:SAFETY/CHEM GOGGLES Other Protective Equipment:IMPERVIOUS CLOTHING, & BOOTS.FILTER TYPE RESP TO TRAP MIST Supplemental Safety and Health ITEM IS ZL-30A ZYGLO PENETRANT.UNDER THE SAME TRADE NAME,P/N,MAGNAFLUX CHANGED FORMULATION IN SEP 85 (SEE P/N IND "B ").EFFECTIVE NOV 86,MANUFACTURER CHANGD THE FORMULATION AS WELL AS THE P/N TO READ Z L-30B ZYGLO PENETRANT (SEE P/N IND "C",SAME NSN.

HCC:N1 Boiling Pt:B.P. Text:410F,210C Vapor Pres:.25 Spec Gravity:0.96 Solubility in Water:NEGLIGIBLE Appearance and Odor:GREEN OILY LIQUID, OILY SMELL Percent Volatiles by Volume:5-10

Stability Indicator/Materials to Avoid:YES MAY DISSOLVE OR SOFTEN SOME RUBBER AND PLASTICS Stability Condition to Avoid:HEAT, OPEN FLAME OR OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:NONE

Waste Disposal Methods: INCINERATE I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United S

tates of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.