## View NSN Online: https://aerobasegroup.kr/nsn/6830-01-121-9834

## SCOTT ENVIRONMENTAL TECHNOLOGY INC. -- NITROGEN -- 6830-01-121-9834

Product ID:NITROGEN MSDS Date:01/01/1987 FSC:6830 NIIN:01-121-9834 MSDS Number: BGMWG === Responsible Party === Company Name:SCOTT ENVIRONMENTAL TECHNOLOGY INC. Address:RT 611 Box:D-11 City:PLUMSTEADVILLE State:PA ZIP:18949 Emergency Phone Num:215-766-8861 CAGE:SCOTT === Contractor Identification === Company Name:SCOTT ENVIRONMENTAL Address:RT 611 City:PLUMSTEADVILLE State:PA ZIP:18949 Phone: (215) 766-8861 CAGE:SCOTT Company Name: SCOTT SPECIALTY GASES Address:6141 EASTON RD (6141 ROUTE 611) Box:310 City:PLUMSTEADVILLE State:PA ZIP:18934 Country:US Phone:215-766-8861/ FAX: 215-766-0416 CAGE:51847

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: 100% ACGIH TLV:ASPHYXIANT; 9192

\_\_\_\_\_

Hazards Identification ====================================
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic:ASPHYXIANT. SYMPTOMS INCLUDE RAPID RESPIRATION,MUSCULAR INCOORDINATION,FATIGUE,NAUSEA & VOMITING.
======================================
First Aid:REMOVE VICTIM TO FRESH AIR. PERFORM ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED.
======================================
Extinguishing Media: USE WHAT IS APPROPRIATE FOR SURROUDING FIRE. Fire Fighting Procedures:KEEP FIRE EXPOSED CYLINDERS COOL WITH WATER SPRAY. Unusual Fire/Explosion Hazard:NONE
======================================
Spill Release Procedures: VENTILATE AREA. REMOVE CYLINDER TO OUTDOORS AREA OR HOOD WITH VENTILATION.
======================================
Handling and Storage Precautions:KEEP CYLINDER CAP IN PLACE WHEN NOT IN USE.SECURE CYLINDER. MOVE WITH HAND TRUCK.DO NOT DEFACE CYLINDER OR LABELS.RETURN WITH POSITIVE PRESSURE.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:SELF-CONTAINED BREATHING APPARATUS. Ventilation:NORMAL VENTILATION. Protective Gloves:NONE Eye Protection:SAFETY GLASSES Supplemental Safety and Health
======================================
HCC:G3 Boiling Pt:B.P. Text:-320.4F Vapor Density:0.967 pH:7 Solubility in Water:1.485 VOL% App

earance and Odor:COLORLESS,ODORLESS Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES REACTS VIOLENTLY WITH NEODYMIUM,LITHIUM,TITANIUM. Stability Condition to Avoid:NONE STATED Hazardous Decomposition Products:NONE

Waste Disposal Methods:RETURN DEFECTIVE CYLINDERS TO SUPPLIER.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.