View NSN Online: https://aerobasegroup.com/nsn/6140-01-131-8104

CONCORDE BATTERY CORP. -- STORAGE BATTERY -- 6140-01-131-8104

Product ID:STORAGE BATTERY

MSDS Date:11/19/1987

FSC:6140

NIIN:01-131-8104

MSDS Number: BGNGM === Responsible Party ===

Company Name: CONCORDE BATTERY CORP.

Address: 2009 SAN BERNARDINO ROAD

City:WEST COVINA

State:CA ZIP:91790 Country:US

Emergency Phone Num:818-962-4006

CAGE:63017

=== Contractor Identifi

cation ===

Company Name: CONCORDE BATTERY CORP

Address: 2009 SAN BERNARDINO RD

Box:City:WEST COVINA

State:CA

ZIP:91790-1006 Country:US

Phone:800-255-3924/818-813-1234

CAGE:63017

======= Composition/Information on Ingredients ========

Ingred Name:LEAD (SARA III)

CAS:7439-92-1

RTECS #:OF7525000 Fraction by Wt: SEE 02%

OSHA PEL:0.05 MG/M3;1910.1025 ACGIH TLV:0.15 MG/M3;DUST 9192

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ANTIMONY (SARA III)

CAS:7440-36-0

RTECS #:CC4025000

OSHA PE

ACGIH TLV:0.5 MG SB/M3; 9192 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS
Ingred Name:LEAD PEROXIDE (LEAD DIOXIDE), (OSHA PEL FROM 29CFR 1910.1025) CAS:1309-60-0 RTECS #:OG0700000 Fraction by Wt: 49% OSHA PEL:0.05 MG/M3 (PB) ACGIH TLV:0.15 MG/M3(PB); 8990
Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
========= Hazards Identification ===========
Route s of Entry: Inhalation:NO Skin:NO Ingestion:NO Health Hazards Acute and Chronic:THE BATTERY CONTAINS IMMOBILIZED GEL INSIDE & NOT HAZARDOUS UNDER NORMAL HANDLING CONDITIONS. IF BATTERY IS CRUSHED,AVOID HAVING THE GEL (HAS SULFURIC ACID & LEAD COMPOUND) CONTACT EYES/SKIN.
======================================
First Aid:NORMALLY NOT APPLICABLE. IN CASE BATTERY IS CRUSHED & SKIN IS CONTACTED BY THE GEL INSIDE THE BATTERY, WASH WITH SOAP & LARGE
A MOUNTS OF WATER & FOLLOW THE PROCEDURE SAME AS CORROSIVE ACIDS.
======================================
Extinguishing Media:WATER
========= Accidental Release Measures ==========
Spill Release Procedures:NOT APPLICABLE. Neutralizing Agent:BICARBONATE OF SODA IF NECESSARY.
============== Handling and Storage ==============
Handling and Storage Precautions:STORE IN COOL,DRY ENVIRONMENT,FULLY PROTECTED FROM MOISTURE & SEVERE

L:0.5 MG/M3

====== Exposure Controls/Personal Protection ========
Respiratory Protection:NORMALLY NONE Ventilation:NORMAL VENTILATION Protective Gloves:NONE Eye Protection:NONE Supplemental Safety and Health
========= Physical/Chemical Properties =========
HCC:Z4 Solubility in Water:NONE Appearance and Odor:LEAD IS BROWN TO GREY IN COLOR,ACID IS COLORLESS & ODORLESS. Percent Volatiles by Volume:0
======== Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:FIRE, EXTREME HEAT
======== Disposal Considerations ===========
Waste Disposal Methods:DISPOSE OF BATTERY BY SENDING TO RECLAMATION

Waste Disposal Methods:DISPOSE OF BATTERY BY SENDING TO RECLAMATION CENTER FOR LEAD PROTECTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or impl

WEATHER.

ied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.