

CAAP CO INC -- POLYURETHANE CURING AGENT FOR CAAPCOAT -- 8010-01-132-2976

=====
Product Identification
=====

Product ID:POLYURETHANE CURING AGENT FOR CAAPCOAT

MSDS Date:08/01/1990

FSC:8010

NIIN:01-132-2976

MSDS Number: BGNGX

=== Responsible Party ===

Company Name:CAAP CO INC

Address:152 PEPES FARM ROAD

City:MILFORD

State:CT

ZIP:06460

Info Phone Num:(203) 877-0375

Emergency Phone Num:(800) 424-930

0

CAGE:6P753

=== Contractor Identification ===

Company Name:CAAP CO INC

Address:152 PEPES FARM ROAD

Box:City:MILFORD

State:CT

ZIP:06460

Phone:(203) 877-0375

CAGE:6P753

=====
Composition/Information on Ingredients
=====

Ingred Name:BLOCKED ALIPHATIC AMINE

Fraction by Wt: 65-75%

Other REC Limits:1 PPM

Ingred Name:METHYL ISOBUTYL KETONE (SARA III)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 35-25%

Other REC Limits:50 PPM

OSHA PEL:100 PPM/75 STEL

ACGIH TLV:50 PPM/75 STEL; 92

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: DAMAGE, BURNS, & IRRITATION.

SKIN: IRRITATION, DEFATTING, DERMATITIS, & SENSITIZATION.

INHALATION: NEURAL IMPAIRMENT, KIDNEY/LIVER DAMAGE, HEADACHE,
DIZZINESS, THROAT IRRITATION, LOSS OF APPETIT E, NAUSEA.

Explanation of Car

cinogenicity:NONE

Effects of Overexposure:EYES: DAMAGE, BURN & IRRITATION. SKIN:

IRRITATION, DERMATITIS, & SENSITIZATION. INHALATION: NEURAL

IMPAIRMENT, KIDNEY/LIVER DAMAGE, HEADACHE, DIZZINESS, THROAT
IRRITATION, LOSS OF APPETITE, NAUSEA.Medical Cond Aggravated by Exposure:ALLERGIES, EYE, SKIN & RESPIRATORY
DISORDERS

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LUKE WARM WATER FOR 15 MINS. SKIN: WASH W/SOAP
& WATER. INHALATI

ON: REMOVE TO FRESH AIR. GIVE ARTIFICIAL

RESPIRATORY IF NEEDED. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

INGESTION: DON'T I NDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL
CASES.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:74F

Lower Limits:1.2%

Upper Limits:8%

Extinguishing Media:CO2, FOAM, DRY CHEMICAL

Fire Fighting Procedures:USE FULL PROTECTIVE GEAR INCLUDING SCBA &
CHEMICAL PROTECTIVE SUIT FOR AMINE/AMMONIA TYPE COR

ROSIVE VAPORS.

KEEP PERSONNEL UPWIND OF THE FIRE.

Unusual Fire/Explosion Hazard:FLAMMABLE LIQUID. THE PRODUCT BECOMES A
CORROSIVE LIQUID UPON THE ADDITIION OF WATER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. CONTAIN THE
SPILL W/ABSORBENT MATERIAL. CLEAN UP THE ABSORBENT & CONTAIN
SECURELY. SWEEP & WET MOP THE AFFCTED AREA W/SOAP & WATER.

===== Handling and Storage =====

=====

Handling and Storage Precautions:DON'T WEAR CONTACT LENSES. A SPRAY BOOTH IS REQUIRED FOR SPRAY APPLICATIONS. ONLY PROPERLY TRAINED/PROTECTED PERSONNEL SHOULD BE IN THE SPRAY AREA.
Other Precautions:FLAMMABLE LIQUID.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF USE CONDITIONS GENERATE VAPORS OR MISTS, WEAR NRESPIRATORS INCLUDE A FULL FACEPIECE OR A PURIFYING CARTRIDGE RESPIRATOR EQUIPPED FOR ORGANIC VAPORS & MISTS, SCBA IN THE PRESSURE DEMAND MODE, OR A POSITIVE PRESSURE AIR-SUPPLIED RESPIRATOR

Ventilation:PROVIDE LOCAL EXHAUST/MECHANICAL VENTILATION TO KEEP 100F.
Hazardous Decomposition Products:CO, CO2, OXIDES OF NITROGEN, AMMONIA

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATION & INCINERATOR IS PREFERRED. DISPOSE OF ACCORDANCE TO STATE, LOCAL, & FEDERAL REGULATIONS. FLAMMABLE LIQUID, UN1993.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.