

FEDERATED-FRY METALS,DIV OF COOKSON AMERICA INC. -- RB RMA-25 FLUX -- 3439-01-141-2161
===== Product Identification =====

Product ID:RB RMA-25 FLUX

MSDS Date:11/05/1984

FSC:3439

NIIN:01-141-2161

MSDS Number: BGNRB

=== Responsible Party ===

Company Name:FEDERATED-FRY METALS,DIV OF COOKSON AMERICA INC.

Address:6TH AVE & 41ST STREET

City:ALTOONA

State:PA

ZIP:16602

Country:US

Info Phone Num:814-946-1

611

Emergency Phone Num:814-946-1611

CAGE:65172

=== Contractor Identification ===

Company Name:FRY TECHNOLOGY DIV OF COOKSON AMERICA INC

Address:6TH AVE AND 41ST ST

Box:City:ALTOONA

State:PA

ZIP:16602

Country:US

Phone:814-946-1611

CAGE:65172

===== Composition/Information on Ingredients =====

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:GUM ROSIN (TLV GIVEN FOR PYROLYSIS PRODUCTS)

CAS:8050-09-7
Fraction by Wt: 24.0%
ACGIH TLV:0.1 MG/CUM

===== Hazards Identification =====

Effects of Overexposure:SLIGHTLY IRRITATING TO EYES/SKIN.

===== First Aid Measures =====

First Aid:WASH SKIN W/SOAP & WATER,FLUSH EYES W/PLENTY OF WATER, THEN REMOVE TO FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:55F/12.8C(TCC)
Lower Limits:2
Upper Limits:12
Extinguishing Media
:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCE OF IGNITION,PUMP TO CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL,DRY WELL VENTED,LOW FIRE RISK AREA. PROTECT FR HEAT,SHOCK KEEP CONTAINERS CLOSED.

===== Exposure Contr
ols/Personal Protection =====

Respiratory Protection:ORGANIC CANISTER MASK.
Ventilation:LOCAL EXHAUST PREFERRED,MECHANICAL EXHAUST ACEPTABLE.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health
MSDS DATED 11-5-84. REFERENCE MIL-F-14256D, TYPE RMA CONFORMS TO CLASS A,TYPE I,GRADE WW,REPLACING THE FORMER TYPE A.

===== Physical/Chemical Properties =====

HCC:F2
Boiling Pt:B.P. Text:180F/82C

Vapor Pres:32
Vapor Density:2
Spec Gravity:0.84
Evaporation Rate & Reference:1.4
Solubility in Water:PARTIALLY
Appearance and Odor:AMBER LIQ,ALCOHOL ODOR.
Percent Volatiles by Volume:74

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:ALDEHYDE & HYDROCHLORIDE FUMES WHEN
HEATED ABOVE 400F.

===== Disposal Considerations

=====

Waste Disposal Methods:LIQUID INCINERATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility
for the suitability of this information to their
particular situation.